



South Carolina Department of Health  
and Environmental Control

# **2007 South Carolina Injury County Profile**

Prepared by SC DHEC Division of Injury & Violence Prevention

August 2009

# Table of Contents

DATA INFORMATION ..... 1

INJURY FAST FACTS ..... 3

SOUTH CAROLINA INJURY DEATH..... 4

ALL COUNTIES DEATHS ..... 5

SC NON-FATAL INJURY ALL AGES ..... 7

SC NON-FATA INJURY 0-17 YEARS, 65+ ..... 8

ALL COUNTIES NON-FATA INJURY ..... 9

ABBEVILLE ..... 11

AIKEN ..... 12

ALLENDALE ..... 13

ANDERSON ..... 14

BAMBERG..... 15

BARNWELL..... 16

BEAUFORT ..... 17

BERKELEY..... 18

CALHOUN..... 19

CHARLESTON ..... 20

**CHEROKEE** ..... 21

CHESTER ..... 22

CHESTERFIELD ..... 23

CLARENDON..... 24

COLLETON ..... 25

DARLINGTON ..... 26

DILLON ..... 27

DORCHESTER ..... 28

EDGEFIELD ..... 29

FAIRFIELD .....	30
FLORENCE .....	31
GEORGETOWN .....	32
GREENVILLE .....	33
GREENWOOD .....	34
HAMPTON.....	35
HORRY .....	36
JAASPER.....	37
KERSHAW .....	38
LANCASTER .....	39
LAURENS .....	40
LEE .....	41
LEXINGTON.....	42
MCCORMICK .....	43
MARION.....	44
MARLBORO .....	45
NEWBERRY .....	46
OCONEE .....	47
ORANGEBURG.....	48
PICKENS.....	49
RICHLAND .....	50
SALUDA .....	51
SPATANBURG .....	52
SUMTER .....	53
UNION.....	54
WILLIAMSBURG .....	55
YORK.....	56

## Data Information

### Data Sources:

1. Death data: Office of Public Health Statistics and Information System (PHISIS) of South Carolina Department of Health and Environmental Control (DHEC)
2. Non-Fatal Injury Data: Include hospital discharge and Emergency department (ED) visits provided by Office of Research and Statistics (ORS) of SC Budget and control Board. It is an aggregate data on a Web-site specific for Division of Injury & Violence Prevention

### Data Information

1. Data are including South Carolina residents only.
2. Counties are the residence place and not the place of occurrence.
3. Information on children 0-17 years old, and people 65 and older are incorporated in the report.
4. Data are mutually exclusive: non-fatal (hospitalization and Emergency Department Visits) do not include deaths
5. **Small numbers: some tables contain small numbers therefore rates should be interpreted with caution.**
6. **No rates were generated for numbers less than 5.**

### Definitions of Causes of Injury

There are two dimensions of the external causes of injury: intent (manner), and the mechanism (cause) by which the injury occurred. Injuries are grouped according to the intent, which in turn divided into groups by causes.

#### I. Unintentional injuries:

1. ***Cut/Pierce***: injuries caused by, or falls on, cutting and piercing instruments or objects (powered or non powered hand tools and household appliances). This includes also injury by nails, needles, broken glasses, splinters, and tin can lids
2. ***Drowning/near drowning*** in watercraft accidents, water sport accidents, while swimming or just wading in water. It also includes drowning/submersion in bathtubs.
3. ***Falls***: include falls on same level (slipping, tripping), falls on different levels (stairs, bed, ladder); tackles in sports.
4. ***Fire/flame***: include burning by fire; asphyxia or poisoning due to fire; secondary fires due to explosion; fall or jump from burning structure.
5. ***Firearms***: use of handguns, automatic weapons, hunting rifles, military firearms, and air guns.
6. ***Foreign body***: foreign body accidentally entering eye and adnexa, or entering other orifice
7. ***Hot/object or substance***: the injury is caused by hot liquids and vapor (including steam); hot appliances or objects; caustic/corrosive material.
8. ***Machinery***: include agricultural, mining, lifting, metalworking, woodworking, and earth moving machines.
9. ***Motor vehicle crashes (MVC)***: include all motor vehicles, except motorcycles, which are involved in traffic crashes.  
The injured person in this group is an occupant of a motor vehicle (driver or passenger), or an unspecified individual who is involved in traffic motor vehicle crashes.
10. ***Motorcyclists***: motorcycle involved in traffic or non-traffic crashes.  
The injured person is a driver or passenger of a motorcycle.
11. ***Pedal cyclists***: pedal cycle involved in traffic or non-traffic motor vehicle crashes, struck by (train, other bicycle, other road vehicle, or animal drawn vehicle). This also involves falling from or turnover of the

pedal cycle, or hitting a fixed or movable object. The injured person is any person riding on a pedal cycle or in a sidecar attached to such a vehicle.

12. **Pedestrians:** the person injured in this group is a pedestrian who is struck by a motor vehicle in traffic or non traffic crashes, or is struck by other road vehicles or trains.
13. **Other Transport:** include railway accidents, non-traffic motor vehicle crashes, other road vehicle crashes, (steer cars, animal drawn vehicles). It also involves water, air and space transport crashes.
14. **Natural and environmental factors:** excessive heat or cold, change in air pressure, hunger, thirst, neglect, lightning, floods, tornados, and storms. It is due also to animal bites, poisoning and toxic reactions from venomous animals and plants.
15. **Overexertion:** include overexertion resulting from lifting, pulling, or pushing. It also includes excessive physical exercises, and strenuous movements in recreational and other activities.
16. **Poisoning** by drugs (painkillers, tranquilizer, antibiotics, antipyretics, anti-rheumatics), alcohols, food, cleansing agents, agriculture's chemicals, corrosives, and gases.
17. **Struck By/Against Person or Object or Caught In between Object** or crushed by a crowd. In sports it includes kicked or stepped on during playing, or hit by a ball or a hockey stick.
18. **Sports & Recreation** (only in non-fatal data): Includes any cause which occurs in these activity (falls, struck by, drowning, í í ).
19. **Suffocation:** include inhalation and ingestion of food or object, which cause the obstruction of the respiratory tract or suffocation. This group also includes accidental mechanical suffocation (e.g. by plastic bag, closed up in air tight place, accidental hanging).
20. **Unspecified:** unspecified injuries
21. **Other causes:** include other specified and classifiable injuries; other specified and not elsewhere classifiable injuries; adverse effect of medical & biological substances in therapeutic use.

## **II. Intentional injuries:**

1. Suicide/attempted suicide, are self-inflicted injuries which leads to death or harm, by any means.
2. Assaults are injuries inflicted by another person with intent to injure or kill (homicide), by any means. .
3. Legal intervention.
4. Operations of war

**III. Undetermined Intention.** These injuries cannot be determined whether they are unintentional or intentional.

## 2007 South Carolina Injury Fast Facts

- ❖ Unintentional injury is the leading cause of **death** for people 1-44 years old nationally and in South Carolina with motor vehicle crashes (MVC) being the primary cause of these injuries.
- ❖ In 2007, there were 3,230 deaths in South Carolina due to all injury, intentional and unintentional ó the crude death rate was 73.3 per 100,000 population.
- ❖ The lowest death rate was in Beaufort County (68 deaths and rate of 46.2/100,000 population). The highest death rate among SC counties was in Chesterfield (50 deaths, and rate of 116.9/100,000 population).
- ❖ There were 230 deaths among children 0-17 years old (rate 21.7/100,000) and 649 deaths among people 65 years and older (rate 113.2/100,000). The highest death rate among people 65 years of age and older was in Saluda County (8 deaths and rate of 288.8/100,000 population). Among counties that had 5 or more deaths for children 0-17 years, Oconee had the highest death rate (8 deaths and rate of 52.9/100,000 population).
- ❖ The top 5 causes of injury deaths for all ages are: MVC, suicide, poisoning, homicide and falls. The top 5 causes of injury death among children 0-17 years are: MVC, suffocation, homicide, drowning and pedestrians. The top 5 causes of injury death among people 65 years of age and older are: falls, MVC, unspecified causes, suffocation and suicide.
- In 2007, there were 409,816 **non-fatal injuries** (hospitalization and emergency department visits) in SC with crude rate of 929.8/10,000 population.
- For all ages, the lowest non-fatal injury rate was in Edgefield County (1,022 injuries and rate of 401.7/10,000 population) and Clarendon County had the highest non-fatal injury rate County (5,724 injuries and rate of 1,744.1/10,000 population).
- Saluda County had the lowest injury rates for children 0-17 years old and people 65 years of age and older (498.8 & 465.7/10,000 respectively). Clarendon County had the highest non-fatal injury rate for age groups 0-17 and 65+ (1,964.3 & 1,432.5/10,000 respectively).
- Falls, Natural, and Environmental factors, MVC, Struck by /caught in between, and overexertion were the top 5 causes of non-fatal injuries for all ages.
- Falls were the leading cause of injury for both age groups 0-17 and 65+.

## Causes of Injury South Carolina, 2007

### Deaths

All Ages			0-17 Years			65+ Years		
Cause of Injury	No.	Rate	Cause of Injury	No.	Rate	Cause of Injury	No.	Rate
<b>All Causes</b>	<b>3,230</b>	<b>73.3</b>	<b>All Causes</b>	<b>230</b>	<b>21.7</b>	<b>All Causes</b>	<b>649</b>	<b>113.2</b>
Traffic MVC	793	18.0	MVC	74	7.0	Fall	162	28.3
Suicide	523	11.9	Suffocation	43	4.1	Traffic MVC	116	20.2
Poisoning	475	10.8	Homicide	35	3.3	Unspecified	104	18.1
Homicide	371	8.4	Drowning	20	1.9	Suffocation	71	12.4
Fall	224	5.1	Pedestrians	15	1.4	Suicide	68	11.9
Suffocation	151	3.4	Poisoning	9	0.8	Poisoning	23	4.0
Unspecified	150	3.4	Other Transport	8	0.8	Fire/Flame	22	3.8
Pedestrians	120	2.7	Fire/Flame	5	0.5	Homicide	19	3.3
Motor Cyclists	91	2.1	Suicide	5	0.5	Natural/Environmental	15	2.6
Fire/Flame	73	1.7	Undetermined Intention	4	--	Undetermined Intention	9	1.6
Drowning	65	1.5	Firearm	3	--	Drowning	8	1.4
Undetermined Intention	50	1.1	Pedal Cyclists	3	--	Other Causes	6	1.0
Natural/Environmental	33	0.7	Fall	2	--	Machinery	5	0.9
Other Transport	31	0.7	Natural/Environmental	2	--	Motor Cyclists	5	0.9
Other Causes	22	0.5	Motor Cyclists	1	--	Other Transport	5	0.9
Pedal Cyclists	19	0.4	Unspecified	1	--	Pedestrians	5	0.9
Firearm	15	0.3				Pedal Cyclists	2	--
Machinery	9	0.2				Struck by/caught in	2	--
Struck by/caught in	8	0.2				Cut/Pierce	1	--
Legal Intervention	6	0.1				Firearm	1	--
Cut/Pierce	1	--						

Rate per 100,000

-- No rate generated for numbers less than 5

## 2007 Injury Death South Carolina Counties

County	All ages		0-17 Years		65+ Years	
	No.	Rate	No.	Rate	No.	Rate
Abbeville	19	74.6	1	16.9	4	--
Aiken	95	62.4	4	--	20	89.9
Allendale	10	95.4	3	--	1	--
Anderson	148	82.2	15	35.2	31	119.5
Bamberg	10	64.7	1	--	0	0.0
Barnwell	17	74.0	3	--	3	--
Beaufort	68	46.2	4	--	14	51.3
Berkeley	100	61.1	11	25.4	16	107.7
Calhoun	15	101.5	0	0.0	3	--
Charleston	293	85.4	13	16.0	60	141.0
Cherokee	52	96.3	1	--	10	146.0
Chester	22	67.6	4	--	4	--
<b>Chesterfield</b>	<b>50</b>	<b>116.9</b>	2	--	15	273.2
Clarendon	21	64.0	1	--	3	--
Colleton	43	110.5	5	51.6	6	110.1
Darlington	62	92.8	4	--	14	154.9
Dillon	25	81.5	3	--	7	185.2
Dorchester	60	48.6	6	18.9	13	111.4
Edgefield	12	47.2	1	--	2	--
Fairfield	19	81.4	1	--	4	--
Florence	86	65.2	8	24.2	22	131.9
Georgetown	67	110.7	5	36.9	17	163.6
Greenville	290	67.7	11	10.5	60	116.9
Greenwood	46	67.4	8	48.0	8	80.4
Hampton	16	75.4	1	19.2	2	--
Horry	214	85.6	15	28.2	40	96.3
Jasper	20	91.1	0	0.0	5	188.0
Kershaw	46	79.1	4	--	6	77.3
Lancaster	46	62.7	3	--	13	136.0
Laurens	52	74.7	3	--	8	82.8
Lee	17	85.0	1	--	5	200.8
Lexington	170	69.9	9	15.1	27	94.8
McCormick	7	69.3	0	0.0	2	--

Rate per 100,000

-- No rate generated for numbers less than 5

Indicate the highest rate among the counties

**2007 Injury Death**  
**South Carolina Counties (Continued)**

County	All ages		0-17 Years		65+ Years	
	No.	Rate	No.	Rate	No.	Rate
Marion	27	79.6	3	--	3	--
Marlboro	16	55.5	0	0.0	5	137.0
Newberry	26	69.1	1	--	5	91.1
Oconee	74	104.6	<b>8</b>	<b>52.9</b>	11	85.8
Orangeburg	89	98.9	5	22.5	21	161.2
Pickens	91	78.4	4	--	25	167.2
Richland	215	60.1	21	23.5	42	121.7
Saluda	19	101.3	1	--	<b>8</b>	<b>288.8</b>
Spartanburg	221	80.2	14	21.3	43	118.6
Sumter	62	59.6	10	36.2	7	51.4
Union	24	86.4	1	--	8	174.7
Williamsburg	33	93.1	3	--	8	157.8
York	114	54.6	8	15.4	18	80.3
<b>SC</b>	<b>3,230</b>	<b>73.3</b>	<b>230</b>	<b>21.7</b>	<b>649</b>	<b>113.2</b>

Rate per 100,000

-- No rate generated for numbers less than 5

Indicate the highest rate among the counties

**Non-Fatal Injuries, All ages  
South Carolina, 2007**

Cause of Injury	Number	Rate
<b>All Causes</b>	<b>409,816</b>	<b>929.8</b>
Falls	99,846	226.5
Natural, Environmental Factors	60,025	136.2
MVC	57,257	129.9
Struck by /caught in	42,577	96.6
Overexertion	37,656	85.4
Piercing/Cutting	28,117	63.8
Sports & Recreation	20,405	46.3
Assault	18,193	41.3
Foreign Body	7,683	17.4
Attempted Suicide	5,006	11.4
Hot Substance	4,769	10.8
Poisoning	4,766	10.8
Adverse Effects of Therapeutic Drugs	4,708	10.7
Unknown	4,139	9.4
Motorcyclist	2,857	6.5
Other Transportation	2,349	5.3
Machinery	1,887	4.3
Pedestrian	1,816	4.1
Undetermined Intention	1,658	3.8
Fire/ Flame	1,621	3.7
Firearm	916	2.1
Other Unintentional Injury	18,693	42.4
Injury Due to Legal Intervention	448	1.0
Near Suffocation	312	0.7
Pedal Cyclist	123	0.3
Near Drowning	31	0.1
Operation of war	3	0.0

Rate per 10,000

-- No rate generated for numbers less than 5

**Non-Fatal Injuries For Ages 0-17, 65 & Older  
South Carolina, 2007**

0-17 Years			65+ Years		
Cause of Injury	No.	Rate	Cause of Injury	No.	Rate
<b>All Causes</b>	<b>103,843</b>	<b>978.4</b>	<b>All Causes</b>	<b>49,172</b>	<b>858.0</b>
Falls	23,667	223.0	Falls	28,795	502.5
Struck by /caught	15,629	147.2	Natural, Environmental	6,892	120.3
Natural, Environmental	13,615	128.3	MVC	3,222	56.2
Sports & Recreation	13,083	123.3	Struck by /caught	2,371	41.4
MVC	9,110	85.8	Overexertion	1,949	34.0
Overexertion	7,127	67.1	Piercing/Cutting	1,837	32.1
Piercing/Cutting	6,833	64.4	Other Unintentional Injury	1,381	24.1
Foreign Body	3,057	28.8	Adverse Effects of Therapeutic Drugs	816	14.2
Assault	2,412	22.7	Foreign Body	725	12.7
Other Unintentional Injury	1,975	18.6	Poisoning	614	10.7
Poisoning	1,726	16.3	Unknown Cause	305	5.3
Hot Substance	1,540	14.5	Sports & Recreation	258	4.5
Unknown Cause	1,538	14.5	Hot Substance	245	4.3
Adverse Effects of Therapeutic Drugs	863	8.1	Assault	237	4.1
Other Transportation	748	7.0	Machinery	174	3.0
Attempted Suicide	666	6.3	Fire and Flame	158	2.8
Pedestrian	407	3.8	Other Transportation	148	2.6
Fire/Flame	361	3.4	Pedestrian	99	1.7
Undetermined Intention	356	3.4	Attempted Suicide	95	1.7
Firearm	305	2.9	Near Suffocation	74	1.3
Motorcyclist	297	2.8	Undetermined Intention	69	1.2
Suffocation/Near Suffocation	151	1.4	Motorcyclist	41	0.7
Machinery	73	0.7	Firearm	22	0.4
Pedal Cyclist	36	0.3	Pedal Cyclist	4	---
Legal Intervention	29	0.3	Legal Intervention	4	---
Near Drowning	22	0.2	Near Drowning	1	---

Rate per 10,000

-- No rate generated for numbers less than 5

## 2007 Non-Fatal Injury South Carolina Counties

County	All ages		0-17 Years		65+ Years	
	No.	Rate	No.	Rate	No.	Rate
Abbeville	2,634	1034.6	736	1247.5	340	871.8
Aiken	9,494	623.3	2,428	679.5	1,436	645.4
Allendale	1,202	1146.9	394	1545.1	117	847.8
Anderson	16,425	912.6	3,955	928.6	2,220	855.8
Bamberg	1,035	669.9	261	727.0	160	658.4
Barnwell	2,906	1264.6	795	1370.7	326	1065.4
Beaufort	11,130	755.5	2,546	704.7	2,109	773.4
Berkeley	17,441	1065.9	4,649	1074.4	1,538	1035.7
Calhoun	1,161	785.5	274	840.5	158	734.9
Charleston	30,988	903.5	7,110	875.3	3,857	906.7
Cherokee	7,474	1383.6	1,914	1448.9	802	1170.8
Chester	4,426	1360.6	1,278	1628.0	495	1107.4
Chesterfield	3,040	710.9	876	850.5	321	584.7
Clarendon	5,724	1744.1	1,487	1964.3	775	1432.5
Colleton	5,246	1348.6	1,361	1404.5	596	1093.6
Darlington	6,281	939.8	1,626	993.9	688	761.1
Dillon	4,033	1314.1	1,104	1334.9	416	1100.5
Dorchester	12,932	1047.0	3,754	1185.3	1,074	920.3
Edgefield	1,022	401.7	318	584.6	156	551.2
Fairfield	2,701	1157.7	670	1211.6	280	866.9
Florence	13,057	990.0	3,082	932.5	1,403	841.1
Georgetown	7,764	1283.3	2,111	1559.1	1,010	972.1
Greenville	40,317	941.5	10,809	1034.7	4,747	925.0
Greenwood	9,148	1340.2	2,311	1388.0	1,020	1025.1
Hampton	3,156	1488.0	928	1784.6	390	1423.4
Horry	29,197	1168.2	6,946	1304.4	3,597	865.7
Jasper	2,240	1020.5	592	1057.1	170	639.1
Kershaw	6,475	1113.1	1,706	1210.8	800	1030.9
Lancaster	6,013	819.3	1,636	961.2	641	670.5
Laurens	7,043	1012.2	1,819	1131.2	722	747.4
Lee	1,626	813.4	390	864.7	196	787.1
Lexington	16,997	698.7	3,781	633.0	2,167	760.6
McCormick	712	705.0	158	975.3	112	509.1

Rate per 10,000

Indicate the highest rate among the counties

**2007 Non-Fatal Injury**  
**South Carolina Counties (Continued)**

County	All ages		0-17 Years		65+ Years	
	No.	Rate	No.	Rate	No.	Rate
Marion	3,552	1047.5	1,036	1248.2	473	1046.5
Marlboro	2,743	951.8	878	1378.3	226	619.2
Newberry	4,185	1112.1	1,153	1301.4	485	883.4
Oconee	8,057	1138.8	2,001	1324.3	1,183	922.8
Orangeburg	9,831	1092.9	2,359	1059.3	1,024	785.9
Pickens	12,397	1068.7	3,269	1255.4	1,447	967.9
Richland	22,365	625.2	5,595	626.4	2,640	764.8
Saluda	888	473.6	212	498.8	129	465.7
Spartanburg	28,489	1034.0	6,660	1010.9	3,430	946.2
Sumter	7,986	768.3	2,172	786.7	848	623.1
Union	3,357	1208.9	857	1373.4	451	984.7
Williamsburg	3,267	921.6	937	1120.8	356	702.2
York	11,590	555.0	2,896	556.0	1,635	729.6
<b>SC</b>	<b>409,816</b>	<b>929.8</b>	<b>103,843</b>	<b>978.4</b>	<b>49,172</b>	<b>858.0</b>

Rate per 10,000

## Top Causes of Injury Abbeville County, 2007

### Deaths

All Ages			0-17 Years			65+ Years		
Cause of Injury	No.	Rate	Cause of Injury	No.	Rate	Cause of Injury	No.	Rate
<b>All Causes</b>	<b>19</b>	<b>74.6</b>	<b>All Causes</b>	<b>1</b>	<b>---</b>	<b>All Causes</b>	<b>4</b>	<b>---</b>
MVC	5	19.6	Homicide	1	---	MVC	2	---
Poisoning	5	19.6				Fall	1	---
Fall	2	---						
Homicide	2	---						

Rate per 100,000

### Non-Fatal Injuries, All Ages

Cause of Injury	Number	Rate
<b>All Causes</b>	<b>2,634</b>	<b>1034.6</b>
Falls	672	263.9
Natural, Environmental	420	165.0
MVC	295	115.9
Struck By/Caught In	259	101.7
Overexertion	241	94.7
Piercing/Cutting	178	69.9
Sports & Recreation	125	49.1
Assault	111	43.6

Rate per 10,000

### Non-Fatal Injuries For Ages 0-17, 65 & Older

0-17 Years			65+ Years		
Cause of Injury	No.	Rate	Cause of Injury	No.	Rate
<b>All Causes</b>	<b>736</b>	<b>1247.5</b>	<b>All Causes</b>	<b>340</b>	<b>871.8</b>
Falls	177	300.0	Falls	201	515.4
Natural, Environmental	121	205.1	Natural, Environmental	45	115.4
Struck By/Caught In	96	162.7	MVC	20	51.3
Sports & Recreation	91	154.2	Struck By/Caught In	19	48.7
Overexertion	58	98.3	Overexertion	13	33.3

Rate per 10,000

## Top Causes of Injury Aiken County, 2007

### Deaths

All Ages			0-17 Years			65+ Years		
Cause of Injury	No.	Rate	Cause of Injury	No.	Rate	Cause of Injury	No.	Rate
<b>All Causes</b>	<b>95</b>	<b>62.4</b>	<b>All Causes</b>	<b>4</b>	<b>---</b>	<b>All Causes</b>	<b>20</b>	<b>89.9</b>
MVC	26	17.1	MVC	2	---	Suicide	7	31.5
Suicide	21	13.8	Drowning	1	---	Fall	2	---
Poisoning	18	11.8	Other Transport	1		Suffocation	2	---
Homicide	7	4.6				Drowning	1	---
Unspecified	6	3.9				Homicide	1	---
Drowning	4	---				MVC	1	---
Fall	3	---						

Rate per 10,000

### Non-Fatal Injuries, All Ages

Cause of Injury	Number	Rate
<b>All Causes</b>	<b>9,494</b>	<b>623.3</b>
Falls	2,375	155.9
Natural, Environmental	1,528	100.3
MVC	1,070	70.3
Struck By/Caught In	931	61.1
Overexertion	663	43.5
Piercing/Cutting	581	38.1
Sports & Recreation	391	25.7
Assault	315	20.7

Rate per 10,000

### Non-Fatal Injuries For Ages 0-17, 65 & Older

0-17 Years			65+ Years		
Cause of Injury	No.	Rate	Cause of Injury	No.	Rate
<b>All Causes</b>	<b>2,428</b>	<b>679.5</b>	<b>All Causes</b>	<b>1,436</b>	<b>645.4</b>
Falls	514	143.9	Falls	801	360.0
Struck By/Caught In	308	86.2	Natural, Environmental	333	149.7
Natural, Environmental	265	74.2	Struck By/Caught In	62	27.9
Sports & Recreation	217	60.7	MVC	61	27.4
MVC	174	48.7	Overexertion	36	16.2

Rate per 10,000

**Top Causes of Injury  
Allendale County, 2007**

**Deaths**

All Ages			0-17 Years			65+ Years		
Cause of Injury	No.	Rate	Cause of Injury	No.	Rate	Cause of Injury	No.	Rate
<b>All Causes</b>	<b>10</b>	<b>95.4</b>	<b>All Causes</b>	<b>3</b>	<b>---</b>	<b>All Causes</b>	<b>1</b>	<b>---</b>
Homicide	3	---	Firearm	1	35.8	Suffocation	1	---
MVC	2	---	MVC	1				
Suffocation	2	---	Suffocation	1				
Drowning	1	---						
Firearm	1	---						

Rate per 100,000

**Non-Fatal Injuries, All Ages**

Cause of Injury	Number	Rate
<b>All Causes</b>	<b>1,202</b>	<b>1146.9</b>
Falls	51	48.7
MVC	41	39.1
Natural, Environmental	33	31.5
Struck By/Caught In	18	17.2
Sports & Recreation	12	11.5
Piercing/Cutting	11	10.5
Overexertion	10	9.5
Assault	8	7.6

Rate per 10,000

**Non-Fatal Injuries For Ages 0-17, 65 & Older**

0-17 Years			65+ Years		
Cause of Injury	No.	Rate	Cause of Injury	No.	Rate
<b>All Causes</b>	<b>394</b>	<b>1545.1</b>	<b>All Causes</b>	<b>117</b>	<b>847.8</b>
Falls	11	43.1	Falls	18	130.4
Sports & Recreation	8	31.4	Natural, Environmental	9	65.2
MVC	4	---	Foreign Body	4	---
Piercing/Cutting	3	---	MVC	2	---
Natural, Environmental	2	---	Struck By/Caught In	1	---

Rate per 10,000

**Top Causes of Injury  
Anderson County, 2007**

**Deaths**

All Ages			0-17 Years			65+ Years		
Cause of Injury	No.	Rate	Cause of Injury	No.	Rate	Cause of Injury	No.	Rate
<b>All Causes</b>	<b>148</b>	<b>82.2</b>	<b>All Causes</b>	<b>15</b>	<b>35.2</b>	<b>All Causes</b>	<b>31</b>	<b>119.5</b>
MVC	38	21.1	MVC	7	16.4	Fall	9	34.7
Poisoning	28	15.6	Suffocation	5	11.7	MVC	7	27.0
Suicide	25	13.9	Fall	1	---	Suffocation	3	---
Fall	14	7.8	Motor Cyclists	1	---	Suicide	3	---
Suffocation	10	5.6	Pedestrians	1	---	Fire/Flame	2	---
Homicide	5	2.8				Machinery	1	---
Fire/Flame	4	---				Natural, Environmental	1	---
Motor Cyclists	4							

Rate per 100,000

**Non-Fatal Injuries, All Ages**

Cause of Injury	Number	Rate
<b>All Causes</b>	<b>16,425</b>	<b>912.6</b>
Falls	4,212	234.0
Natural, Environmental	2,189	121.6
MVC	2,095	116.4
Overexertion	1,707	94.8
Struck By/Caught In	1,651	91.7
Piercing/Cutting	1,103	61.3
Sports & Recreation	986	54.8
Assault	715	39.7

Rate per 10,000

**Non-Fatal Injuries For Ages 0-17, 65 & Older**

0-17 Years			65+ Years		
Cause of Injury	No.	Rate	Cause of Injury	No.	Rate
<b>All Causes</b>	<b>3,955</b>	<b>928.6</b>	<b>All Causes</b>	<b>2,220</b>	<b>855.8</b>
Falls	890	209.0	Falls	1,401	540.1
Sports & Recreation	634	148.9	Natural, Environmental	227	87.5
Struck By/Caught In	583	136.9	MVC	170	65.5
Natural, Environmental	456	107.1	Overexertion	95	36.6
MVC	362	85.0	Struck By/Caught In	89	34.3

Rate per 10,000

**Top Causes of Injury  
Bamberg County, 2007**

**Deaths**

All Ages			0-17 Years			65+ Years		
Cause of Injury	No.	Rate	Cause of Injury	No.	Rate	Cause of Injury	No.	Rate
<b>All Causes</b>	10	64.7	<b>All Causes</b>	1	0	All Causes	0	0
MVC	6	38.8	MVC	1	---			
Fall	1	---						
Homicide	1	---						
Pedestrians	1	---						
Suicide	1	---						

Rate per 100,000

**Non-Fatal Injuries, All Ages**

Cause of Injury	Number	Rate
<b>All Causes</b>	<b>1,035</b>	<b>669.9</b>
Falls	272	176.1
MVC	210	135.9
Natural, Environmental	100	64.7
Struck By/Caught In	99	64.1
Overexertion	71	46.0
Piercing/Cutting	59	38.2
Assault	47	30.4
Sports & Recreation	42	27.2

Rate per 10,000

**Non-Fatal Injuries For Ages 0-17, 65 & Older**

0-17 Years			65+ Years		
Cause of Injury	No.	Rate	Cause of Injury	No.	Rate
<b>All Causes</b>	<b>261</b>	<b>727.0</b>	<b>All Causes</b>	<b>160</b>	<b>658.4</b>
Falls	62	172.7	Falls	98	403.3
MVC	36	100.3	MVC	15	61.7
Sports & Recreation	34	94.7	Natural, Environmental	15	61.7
Struck By/Caught In	29	80.8	Overexertion	6	24.7
Natural, Environmental	28	78.0	Adverse Effects of Therapeutic Drugs	6	24.7

Rate per 10,000

**Top Causes of Injury  
Barnwell County, 2007**

**Deaths**

All Ages			0-17 Years			65+ Years		
Cause of Injury	No.	Rate	Cause of Injury	No.	Rate	Cause of Injury	No.	Rate
<b>All Causes</b>	17	74.0	<b>All Causes</b>	3	---	<b>All Causes</b>	3	---
MVC	4	---	Drowning	1	---	Fall	1	---
Pedestrians	2	---	MVC	1	---	Other Causes	1	---
Poisoning	2	---	Other Transport	1	---	Suicide	1	---
Drowning	1	---						
Fall	1	---						

Rate per 100,000

**Non-Fatal Injuries, All Ages**

Cause of Injury	Number	Rate
<b>All Causes</b>	<b>2,906</b>	<b>1264.6</b>
Falls	616	268.1
Natural, Environmental	432	188.0
Struck By/Caught In	347	151.0
MVC	332	144.5
Overexertion	306	133.2
Piercing/Cutting	228	99.2
Sports & Recreation	159	69.2
Assault	124	54.0

Rate per 10,000

**Non-Fatal Injuries For Ages 0-17, 65 & Older**

0-17 Years			65+ Years		
Cause of Injury	No.	Rate	Cause of Injury	No.	Rate
<b>All Causes</b>	<b>795</b>	<b>1370.7</b>	<b>All Causes</b>	<b>326</b>	<b>1065.4</b>
Falls	146	251.7	Falls	1,181	433.1
Struck By/Caught In	141	243.1	Natural, Environmental	337	123.6
Sports & Recreation	110	189.7	Piercing/Cutting	119	43.6
Natural, Environmental	107	184.5	Struck By/Caught In	106	38.9
Overexertion	67	115.5	MVC	87	31.9

Rate per 10,000

## **Top Causes of Injury Beaufort County, 2007**

### **Deaths**

<b>All Ages</b>			<b>0-17 Years</b>			<b>65+ Years</b>		
Cause of Injury	No.	Rate	Cause of Injury	No.	Rate	Cause of Injury	No.	Rate
<b>All Causes</b>	<b>68</b>	<b>46.2</b>	<b>All Causes</b>	<b>4</b>	<b>---</b>	<b>All Causes</b>	<b>14</b>	<b>51.3</b>
Suicide	21	14.3	Suffocation	2	---	Fall	5	18.3
MVC	12	8.1	Fire/Flame	1	---	Suffocation	4	---
Fall	7	4.8	Homicide	1	---	Homicide	1	---
Homicide	7	4.8						
Suffocation	7	4.8						
Poisoning	6	4.1						

Rate per 100,000

### **Non-Fatal Injuries, All Ages**

Cause of Injury	Number	Rate
<b>All Causes</b>	<b>11,130</b>	<b>755.5</b>
Falls	2,859	194.1
Natural, Environmental	1,827	124.0
MVC	1,359	92.2
Struck By/Caught In	1,045	70.9
Overexertion	866	58.8
Piercing/Cutting	856	58.1
Sports & Recreation	717	48.7
Assault	496	33.7

Rate per 10,000

### **Non-Fatal Injuries For Ages 0-17, 65 & Older**

<b>0-17 Years</b>			<b>65+ Years</b>		
Cause of Injury	No.	Rate	Cause of Injury	No.	Rate
<b>All Causes</b>	<b>2,546</b>	<b>704.7</b>	<b>All Causes</b>	<b>2,109</b>	<b>773.4</b>
Falls	538	148.9	Falls	1,181	433.1
Sports & Recreation	404	111.8	Natural, Environmental	337	123.6
Natural, Environmental	373	103.2	Piercing/Cutting	119	43.6
Struck By/Caught In	359	99.4	Struck By/Caught In	106	38.9
MVC	182	50.4	MVC	87	31.9

Rate per 10,000

**Top Causes of Injury**  
**Berkeley County, 2007**

**Deaths**

All Ages			0-17 Years			65+ Years		
Cause of Injury	No.	Rate	Cause of Injury	No.	Rate	Cause of Injury	No.	Rate
<b>All Causes</b>	<b>100</b>	<b>61.1</b>	<b>All Causes</b>	<b>11</b>	<b>25.4</b>	<b>All Causes</b>	<b>16</b>	<b>107.7</b>
MVC	25	15.3	MVC	4	---	MVC	4	---
Suicide	19	11.6	Suffocation	3	---	Suicide	4	---
Poisoning	11	6.7	Drowning	2	---	Fall	3	---
Homicide	9	5.5	Homicide	1	---	Poisoning	2	---
Pedestrians	8	4.9	Pedestrians	1	---	Suffocation	1	---
Motor Cyclists	5	3.1						
Suffocation	5	3.1						

Rate per 100,000

**Non-Fatal Injuries, All Ages**

Cause of Injury	Number	Rate
<b>All Causes</b>	<b>17,441</b>	<b>1065.9</b>
Falls	3,757	229.6
MVC	2,637	161.2
Natural, Environmental	2,245	137.2
Struck By/Caught In	2,207	134.9
Overexertion	2,128	130.1
Piercing/Cutting	1,332	81.4
Sports & Recreation	645	39.4

Rate per 10,000

**Non-Fatal Injuries For Ages 0-17, 65 & Older**

0-17 Years			65+ Years		
Cause of Injury	No.	Rate	Cause of Injury	No.	Rate
<b>All Causes</b>	<b>4,649</b>	<b>1074.4</b>	<b>All Causes</b>	<b>1,538</b>	<b>1035.7</b>
Falls	1,088	251.4	Falls	846	569.7
Struck By/Caught In	815	188.4	Natural, Environmental	191	128.6
Natural, Environmental	536	123.9	MVC	113	76.1
Sports & Recreation	430	99.4	Struck By/Caught In	105	70.7
MVC	417	96.4	Overexertion	88	59.3

Rate per 10,000

## Top Causes of Injury Calhoun County, 2007

### Deaths

All Ages			0-17 Years			65+ Years		
Cause of Injury	No.	Rate	Cause of Injury	No.	Rate	Cause of Injury	No.	Rate
<b>All Causes</b>	15	101.5	<b>All Causes</b>	0	---	<b>All Causes</b>	3	---
MVC	5	33.8				Suffocation	2	---
Suicide	4	---				MVC	1	---
Homicide	2	---						
Poisoning	2	---						
Suffocation	2	---						

Rate per 100,000

### Non-Fatal Injuries, All Ages

Cause of Injury	Number	Rate
<b>All Causes</b>	<b>1,161</b>	<b>785.5</b>
Falls	263	177.9
MVC	194	131.3
Natural, Environmental	128	86.6
Struck By/Caught In	124	83.9
Overexertion	123	83.2
Piercing/Cutting	103	69.7
Assault	71	48.0
Sports & Recreation	52	35.2

Rate per 10,000

### Non-Fatal Injuries For Ages 0-17, 65 & Older

0-17 Years			65+ Years		
Cause of Injury	No.	Rate	Cause of Injury	No.	Rate
<b>All Causes</b>	<b>274</b>	<b>840.5</b>	<b>All Causes</b>	<b>158</b>	<b>734.9</b>
Falls	51	156.4	Falls	86	400.0
Struck By/Caught In	43	131.9	Natural, Environmental	21	97.7
Sports and Recreation	40	122.7	MVC	10	46.5
Natural, Environmental	32	98.2	Struck By/Caught In	9	41.9
Overexertion	30	92.0	Overexertion	6	27.9

Rate per 10,000

## Top Causes of Injury Charleston County, 2007

### Deaths

All Ages			0-17 Years			65+ Years		
Cause of Injury	No.	Rate	Cause of Injury	No.	Rate	Cause of Injury	No.	Rate
<b>All Causes</b>	<b>293</b>	<b>85.4</b>	<b>All Causes</b>	<b>13</b>	<b>16.0</b>	<b>All Causes</b>	<b>60</b>	<b>141.0</b>
MVC	54	15.7	Homicide	3	---	MVC	13	30.6
Homicide	47	13.7	Suffocation	3	---	Fall	11	25.9
Poisoning	47	13.7	Undetermined Intention	3	---	Suffocation	8	18.8
Suicide	45	13.1	Pedestrians	2	---	Fire/Flame	3	---
Fall	17	5.0	Other Transport	1	---	Poisoning	3	---
Suffocation	14	4.1	Suicide	1	---	Suicide	3	---
Pedestrians	12	3.5				Homicide	2	---
Fire/Flame	11	3.2						

Rate per 100,000

### Non-Fatal Injuries, All Ages

Cause of Injury	Number	Rate
<b>All Causes</b>	<b>30,988</b>	<b>903.5</b>
Falls	7,447	217.1
MVC	4,502	131.3
Natural, Environmental	4,142	120.8
Struck By/Caught In	2,849	83.1
Overexertion	2,516	73.4
Piercing/Cutting	2,471	72.0
Assault	1,544	45.0
Sports & Recreation	1,360	39.7

Rate per 10,000

### Non-Fatal Injuries For Ages 0-17, 65 & Older

0-17 Years			65+ Years		
Cause of Injury	No.	Rate	Cause of Injury	No.	Rate
<b>All Causes</b>	<b>7,110</b>	<b>875.3</b>	<b>All Causes</b>	<b>3,857</b>	<b>906.7</b>
Falls	1,638	201.6	Falls	2,272	534.1
Struck By/Caught In	992	122.1	Natural, Environmental	463	108.8
Natural, Environmental	940	115.7	MVC	273	64.2
Sports & Recreation	746	91.8	Struck By/Caught In	179	42.1
MVC	543	66.8	Overexertion	178	41.8

Rate per 10,000

## **Top Causes of Injury Cherokee County, 2007**

### **Deaths**

<b>All Ages</b>			<b>0-17 Years</b>			<b>65+ Years</b>		
Cause of Injury	No.	Rate	Cause of Injury	No.	Rate	Cause of Injury	No.	Rate
<b>All Causes</b>	<b>52</b>	<b>96.3</b>	<b>All Causes</b>	<b>1</b>	<b>---</b>	<b>All Causes</b>	<b>10</b>	<b>146.0</b>
MVC	13	24.1	Suffocation	1	---	Fall	2	---
Poisoning	10	18.5				Suffocation	2	---
Suicide	9	16.7				Suicide	2	---
Pedestrians	5	9.3				MVC	1	---
Fall	4					Machinery	1	---
Suffocation	4							

Rate per 100,000

### **Non-Fatal Injuries, All Ages**

Cause of Injury	Number	Rate
<b>All Causes</b>	<b>7,474</b>	<b>1383.6</b>
Falls	1,636	302.9
Natural, Environmental	1,364	252.5
MVC	989	183.1
Struck By/Caught In	892	165.1
Overexertion	551	102.0
Sports & Recreation	431	79.8
Piercing/Cutting	426	78.9
Assault	407	75.3

Rate per 10,000

### **Non-Fatal Injuries For Ages 0-17, 65 & Older**

<b>0-17 Years</b>			<b>65+ Years</b>		
Cause of Injury	No.	Rate	Cause of Injury	No.	Rate
<b>All Causes</b>	<b>1,914</b>	<b>1448.9</b>	<b>All Causes</b>	<b>802</b>	<b>1170.8</b>
Falls	362	274.0	Falls	425	620.4
Struck By/Caught In	358	271.0	Natural, Environmental	159	232.1
Sports & Recreation	293	221.8	Struck By/Caught In	49	71.5
Natural, Environmental	251	190.0	MVC	48	70.1
MVC	179	135.5	Piercing/Cutting	27	39.4

Rate per 10,000

**Top Causes of Injury  
Chester County, 2007**

**Deaths**

All Ages			0-17 Years			65+ Years		
Cause of Injury	No.	Rate	Cause of Injury	No.	Rate	Cause of Injury	No.	Rate
<b>All Causes</b>	<b>22</b>	<b>67.6</b>	<b>All Causes</b>	<b>4</b>	<b>---</b>	<b>All Causes</b>	<b>4</b>	<b>---</b>
MVC	8	24.6	MVC	2	---	Fall	3	---
Fall	3	---	Firearm	1	---	Suffocation	1	---
Poisoning	3	---	Pedestrians	1	---			
Drowning	1	---						

Rate per 100,000

**Non-Fatal Injuries, All Ages**

Cause of Injury	Number	Rate
<b>All Causes</b>	<b>4,426</b>	<b>1360.6</b>
Piercing/Cutting	911	280.0
Near Drowning	855	262.8
Falls	563	173.1
Hot Substance	559	171.8
Fire/ Flame	374	115.0
Firearm	299	91.9
Foreign Body	242	74.4
Machinery	205	63.0

Rate per 10,000

**Non-Fatal Injuries For Ages 0-17, 65 & Older**

0-17 Years			65+ Years		
Cause of Injury	No.	Rate	Cause of Injury	No.	Rate
<b>All Causes</b>	<b>1,278</b>	<b>1628.0</b>	<b>All Causes</b>	<b>495</b>	<b>1107.4</b>
Struck By/Caught In	243	309.6	Falls	230	514.5
Falls	241	307.0	Natural, Environmental	124	277.4
Natural, Environmental	199	253.5	MVC	38	85.0
Sports & Recreation	129	164.3	Struck By/Caught In	27	60.4
MVC	105	133.8	Piercing/Cutting	18	40.3

Rate per 10,000

## Top Causes of Injury Chesterfield County, 2007

### Deaths

All Ages			0-17 Years			65+ Years		
Cause of Injury	No.	Rate	Cause of Injury	No.	Rate	Cause of Injury	No.	Rate
<b>All Causes</b>	<b>50</b>	<b>116.9</b>	<b>All Causes</b>	<b>2</b>	<b>---</b>	<b>All Causes</b>	<b>15</b>	<b>273.2</b>
MVC	10	23.4	Fire/Flame	1	---	Fall	4	---
Poisoning	9	21.0	Poisoning	1	---	Suffocation	3	---
Homicide	7	16.4				MVC	2	---
Fall	4	---				Drowning	1	---
Suicide	4	---				Fire/Flame	1	---
Fire/Flame	3	---				Poisoning	1	---

Rate per 100,000

### Non-Fatal Injuries, All Ages

Cause of Injury	Number	Rate
<b>All Causes</b>	<b>3,040</b>	<b>710.9</b>
Piercing/Cutting	735	171.9
Near Drowning	432	101.0
Falls	371	86.8
Hot Substance	354	82.8
Fire/Flame	266	62.2
Firearm	233	54.5
Foreign Body	162	37.9
Machinery	150	35.1

Rate per 10,000

### Non-Fatal Injuries For Ages 0-17, 65 & Older

0-17 Years			65+ Years		
Cause of Injury	No.	Rate	Cause of Injury	No.	Rate
<b>All Causes</b>	<b>876</b>	<b>850.5</b>	<b>All Causes</b>	<b>321</b>	<b>584.7</b>
Falls	188	182.5	Falls	201	366.1
Struck By/Caught In	137	133.0	Natural, Environmental	37	67.4
Natural, Environmental	131	127.2	Struck By/Caught In	20	36.4
Sports & Recreation	113	109.7	MVC	16	29.1
Overexertion	84	81.6	Overexertion	10	18.2

Rate per 10,000

**Top Causes of Injury  
Clarendon County, 2007**

**Deaths**

All Ages			0-17 Years			65+ Years		
Cause of Injury	No.	Rate	Cause of Injury	No.	Rate	Cause of Injury	No.	Rate
<b>All Causes</b>	<b>21</b>	<b>64.0</b>	<b>All Causes</b>	<b>1</b>	<b>---</b>	<b>All Causes</b>	<b>3</b>	<b>---</b>
Homicide	4	---	Suffocation	1	---	Drowning	1	---
MVC	3	---				Fall	1	---
Other Transport	3	---						
Suicide	3	---						
Fall	2	---						

Rate per 100,000

**Non-Fatal Injuries, All Ages**

Cause of Injury	Number	Rate
<b>All Causes</b>	<b>5,724</b>	<b>1744.1</b>
Piercing/Cutting	1,387	422.6
Near Drowning	916	279.1
Falls	804	245.0
Hot Substance	622	189.5
Fire/Flame	530	161.5
Firearm	399	121.6
Foreign Body	286	87.1
Machinery	226	68.9

Rate per 10,000

**Non-Fatal Injuries For Ages 0-17, 65 & Older**

0-17 Years			65+ Years		
Cause of Injury	No.	Rate	Cause of Injury	No.	Rate
<b>All Causes</b>	<b>1,487</b>	<b>1964.3</b>	<b>All Causes</b>	<b>775</b>	<b>1432.5</b>
Falls	327	432.0	Falls	428	791.1
Struck By/Caught In	239	315.7	Natural, Environmental	113	208.9
Natural, Environmental	214	282.7	MVC	52	96.1
Sports & Recreation	157	207.4	Struck By/Caught In	42	77.6
Overexertion	125	165.1	Piercing/Cutting	39	72.1

Rate per 10,000

## Top Causes of Injury Colleton County, 2007

### Deaths

All Ages			0-17 Years			65+ Years		
Cause of Injury	No.	Rate	Cause of Injury	No.	Rate	Cause of Injury	No.	Rate
<b>All Causes</b>	<b>43</b>	<b>110.5</b>	<b>All Causes</b>	<b>5</b>	<b>51.6</b>	<b>All Causes</b>	<b>6</b>	<b>110.1</b>
MVC	13	33.4	MVC	2	---	Fall	3	---
Homicide	9	23.1	Fire/Flame	1	---	MVC	2	---
Poisoning	8	20.6	Homicide	1	---			
Fall	3	---	Poisoning	1	---			
Suicide	3	---						
Motor Cyclists	2	---						

Rate per 100,000

### Non-Fatal Injuries, All Ages

Cause of Injury	Number	Rate
<b>All Causes</b>	<b>5,246</b>	<b>1348.6</b>
Piercing /Cutting	4,909	1262.0
Hot Substance	1,190	305.9
MVC	1,051	270.2
Overexertion	859	220.8
Near Suffocation	518	133.2
Poisoning	366	94.1
Near Drowning	287	73.8
Assault	285	73.3

Rate per 10,000

### Non-Fatal Injuries For Ages 0-17, 65 & Older

0-17 Years			65+ Years		
Cause of Injury	No.	Rate	Cause of Injury	No.	Rate
<b>All Causes</b>	<b>1,361</b>	<b>1404.5</b>	<b>All Causes</b>	<b>596</b>	<b>1093.6</b>
Falls	273	649.5	Falls	354	649.5
Natural, Environmental	213	198.2	Natural, Environmental	108	198.2
Struck By/Caught In	191	75.2	MVC	41	75.2
MVC	177	42.2	Struck By/Caught In	23	42.2
Sports & Recreation	148	27.5	Piercing /Cutting	15	27.5

Rate per 10,000

**Top Causes of Injury**  
**Darlington County, 2007**

**Deaths**

All Ages			0-17 Years			65+ Years		
Cause of Injury	No.	Rate	Cause of Injury	No.	Rate	Cause of Injury	No.	Rate
<b>All Causes</b>	<b>62</b>	<b>92.8</b>	<b>All Causes</b>	<b>4</b>	<b>---</b>	<b>All Causes</b>	<b>14</b>	<b>154.9</b>
MVC	12	18.0	MVC	1	---	MVC	3	---
Homicide	11	16.5	Pedal Cyclists	1	---	Suicide	3	---
Suicide	10	15.0	Suffocation	1	---	Fall	2	---
Poisoning	6	9.0	Suicide	1	---	Fire/Flame	2	---
Suffocation	5	7.5				Natural/Environmental	1	---

Rate per 100,000

**Non-Fatal Injuries, All Ages**

Cause of Injury	Number	Rate
<b>All Causes</b>	<b>6,281</b>	<b>1930.8</b>
Piercing/Cutting	1,609	494.6
Near Drowning	1,046	321.5
Falls	781	240.1
Hot Substance	625	192.1
Fire/Flame	470	144.5
Firearm	394	121.1
Foreign Body	381	117.1
Machinery	311	95.6

Rate per 10,000

**Non-Fatal Injuries For Ages 0-17, 65 & Older**

0-17 Years			65+ Years		
Cause of Injury	No.	Rate	Cause of Injury	No.	Rate
<b>All Causes</b>	<b>1,626</b>	<b>993.9</b>	<b>All Causes</b>	<b>688</b>	<b>761.1</b>
Falls	375	229.2	Falls	406	449.1
Natural, Environmental	283	173.0	Natural, Environmental	78	86.3
Struck By/Caught In	239	146.1	MVC	47	52.0
Sports & Recreation	177	108.2	Adverse Effects of Therapeutic Drugs	31	34.3
MVC	146	89.2	Struck By/Caught In	30	33.2

Rate per 10,000

## Top Causes of Injury Dillon County, 2007

### Deaths

All Ages			0-17 Years			65+ Years		
Cause of Injury	No.	Rate	Cause of Injury	No.	Rate	Cause of Injury	No.	Rate
<b>All Causes</b>	<b>25</b>	<b>81.5</b>	<b>All Causes</b>	<b>3</b>	<b>---</b>	<b>All Causes</b>	<b>7</b>	<b>185.2</b>
MVC	6	19.6	Other Transport	1	---	Fall	1	---
Suffocation	3	---	Suffocation	1	---	Fire/Flame	1	---
Suicide	3	---	Undetermined Intention	1	---	Homicide	1	---
Fire/Flame	2	---				Poisoning	1	---
Homicide	2	---				Suffocation	1	---

Rate per 100,000

### Non-Fatal Injuries, All Ages

Cause of Injury	Number	Rate
<b>All Causes</b>	<b>4,033</b>	<b>1314.1</b>
Piercing/Cutting	883	287.7
Near Drowning	598	194.9
Falls	586	190.9
Hot Substance	437	142.4
Fire/Flame	318	103.6
Firearm	313	102.0
Foreign Body	285	92.9
Machinery	276	89.9

Rate per 10,000

### Non-Fatal Injuries For Ages 0-17, 65 & Older

0-17 Years			65+ Years		
Cause of Injury	No.	Rate	Cause of Injury	No.	Rate
<b>All Causes</b>	<b>1,104</b>	<b>1334.9</b>	<b>All Causes</b>	<b>416</b>	<b>1100.5</b>
Falls	213	257.6	Falls	236	624.3
Struck By/Caught In	173	209.2	Natural, Environmental	50	132.3
Natural, Environmental	172	208.0	MVC	29	76.7
Sports & Recreation	119	143.9	Piercing/Cutting	20	52.9
MVC	99	119.7	Overexertion	19	50.3

Rate per 10,000

**Top Causes of Injury  
Dorchester County, 2007**

**Deaths**

All Ages			0-17 Years			65+ Years		
Cause of Injury	No.	Rate	Cause of Injury	No.	Rate	Cause of Injury	No.	Rate
<b>All Causes</b>	<b>60</b>	<b>48.6</b>	<b>All Causes</b>	<b>6</b>	<b>18.9</b>	<b>All Causes</b>	<b>13</b>	<b>111.4</b>
Homicide	14	11.3	Homicide	3	---	Fall	6	51.4
MVC	12	9.7	MVC	1	---	Suffocation	2	---
Suicide	9	7.3	Natural/Environmental	1	---	Drowning	1	---
Fall	7	5.7	Poisoning	1	---	MVC	1	---
Poisoning	5	4.0				Poisoning	1	---

Rate per 100,000

**Non-Fatal Injuries, All Ages**

Cause of Injury	Number	Rate
<b>All Causes</b>	<b>12,932</b>	<b>1047.0</b>
Piercing/Cutting	2,807	227.3
Near Drowning	1,964	159.0
Falls	1,789	144.8
Hot Substance	1,600	129.5
Fire/Flame	1,349	109.2
Firearm	986	79.8
Foreign Body	628	50.8
Machinery	603	48.8

Rate per 10,000

**Non-Fatal Injuries For Ages 0-17, 65 & Older**

0-17 Years			65+ Years		
Cause of Injury	No.	Rate	Cause of Injury	No.	Rate
<b>All Causes</b>	<b>3,754</b>	<b>1185.3</b>	<b>All Causes</b>	<b>1,074</b>	<b>920.3</b>
Falls	875	276.3	Falls	606	519.3
Struck By/Caught In	725	228.9	Natural, Environmental	123	105.4
Sports & Recreation	418	132.0	MVC	85	72.8
Natural, Environmental	389	122.8	Struck By/Caught In	68	58.3
MVC	324	102.3	Piercing/Cutting	51	43.7

Rate per 10,000

**Top Causes of Injury  
Edgefield County, 2007**

**Deaths**

All Ages			0-17 Years			65+ Years		
Cause of Injury	No.	Rate	Cause of Injury	No.	Rate	Cause of Injury	No.	Rate
<b>All Causes</b>	<b>12</b>	<b>47.2</b>	<b>All Causes</b>	<b>1</b>	<b>---</b>	<b>All Causes</b>	<b>2</b>	<b>---</b>
MVC	4	---	Homicide	1	---	Suicide	1	---
Suicide	3	---				Unspecified	1	---
Homicide	2	---						
Fall	1	---						
Poisoning	1	---						

Rate per 100,000

**Non-Fatal Injuries, All Ages**

Cause of Injury	Number	Rate
<b>All Causes</b>	<b>1,022</b>	<b>401.7</b>
Piercing/Cutting	237	93.2
Near Drowning	150	59.0
Falls	117	46.0
Hot Substance	105	41.3
Fire/Flame	97	38.1
Firearm	75	29.5
Foreign Body	71	27.9
Machinery	48	18.9

Rate per 10,000

**Non-Fatal Injuries For Ages 0-17, 65 & Older**

0-17 Years			65+ Years		
Cause of Injury	No.	Rate	Cause of Injury	No.	Rate
<b>All Causes</b>	<b>318</b>	<b>584.6</b>	<b>All Causes</b>	<b>156</b>	<b>551.2</b>
Falls	70	128.7	Falls	73	258.0
Struck By/Caught In	51	93.8	Natural, Environmental	42	148.4
Sports & Recreation	48	88.2	Piercing/Cutting	11	38.9
Piercing/Cutting	34	62.5	Struck By/Caught In	8	28.3
Natural, Environmental	32	58.8	Overexertion	4	14.1

Rate per 10,000

**Top Causes of Injury  
Fairfield County, 2007**

**Deaths**

All Ages			0-17 Years			65+ Years		
Cause of Injury	No.	Rate	Cause of Injury	No.	Rate	Cause of Injury	No.	Rate
<b>All Causes</b>	<b>19</b>	<b>81.4</b>	<b>All Causes</b>	<b>2</b>	<b>---</b>	<b>All Causes</b>	<b>4</b>	<b>---</b>
MVC	7	30.0	MVC	1	---	Fall	1	---
Suicide	4	---				Fire/Flame	1	---
Fire/Flame	2	---				MVC	1	---
Motor Cyclists	2	---				Suffocation	1	---
Fall	1	---						

Rate per 100,000

**Non-Fatal Injuries, All Ages**

Cause of Injury	Number	Rate
<b>All Causes</b>	<b>2,701</b>	<b>1157.7</b>
Piercing/Cutting	594	254.6
Near Drowning	457	195.9
Falls	355	152.2
Hot Substance	304	130.3
Fire/Flame	253	108.4
Firearm	223	95.6
Foreign Body	162	69.4
Machinery	133	57.0

Rate per 10,000

**Non-Fatal Injuries For Ages 0-17, 65 & Older**

0-17 Years			65+ Years		
Cause of Injury	No.	Rate	Cause of Injury	No.	Rate
<b>All Causes</b>	<b>670</b>	<b>1211.6</b>	<b>All Causes</b>	<b>280</b>	<b>866.9</b>
Falls	134	242.3	Falls	164	507.7
Natural, Environmental	91	164.6	Natural, Environmental	38	117.6
MVC	90	162.7	MVC	18	55.7
Struck By/Caught In	89	160.9	Piercing/Cutting	15	46.4
Overexertion	72	130.2	Struck By/Caught In	13	40.2

Rate per 10,000

## Top Causes of Injury Florence County, 2007

### Deaths

All Ages			0-17 Years			65+ Years		
Cause of Injury	No.	Rate	Cause of Injury	No.	Rate	Cause of Injury	No.	Rate
<b>All Causes</b>	<b>86</b>	<b>65.2</b>	<b>All Causes</b>	<b>8</b>	<b>24.2</b>	<b>All Causes</b>	<b>22</b>	<b>131.9</b>
MVC	31	23.5	MVC	3	---	Fall	6	36.0
Homicide	12	9.1	Suffocation	2	---	MVC	6	36.0
Suicide	10	7.6	Drowning	1	---	Homicide	3	---
Fall	8	6.1	Homicide	1	---	Suffocation	2	---
Poisoning	5	3.8	Pedestrians	1	---	Natural/Environmental	1	---
Pedestrians	4					Suicide	1	---

Rate per 100,000

### Non-Fatal Injuries, All Ages

Cause of Injury	Number	Rate
<b>All Causes</b>	<b>13,057</b>	<b>990.0</b>
Piercing/Cutting	3,145	238.5
Near Drowning	2,186	165.7
Falls	1,991	151.0
Hot Substance/	1,286	97.5
Fire/Flame	1,197	90.8
Firearm	815	61.8
Foreign Body	674	51.1
Machinery	569	43.1

Rate per 10,000

### Non-Fatal Injuries For Ages 0-17, 65 & Older

0-17 Years			65+ Years		
Cause of Injury	No.	Rate	Cause of Injury	No.	Rate
<b>All Causes</b>	<b>3,082</b>	<b>932.5</b>	<b>All Causes</b>	<b>1,403</b>	<b>841.1</b>
Falls	733	221.8	Falls	838	502.4
Natural, Environmental	457	138.3	Natural, Environmental	157	94.1
Struck By/Caught In	408	123.4	MVC	95	57.0
Sports & Recreation	331	100.2	Struck By/Caught In	80	48.0
MVC	304	92.0	Overexertion	56	33.6

Rate per 10,000

**Top Causes of Injury  
Georgetown County, 2007**

**Deaths**

All Ages			0-17 Years			65+ Years		
Cause of Injury	No.	Rate	Cause of Injury	No.	Rate	Cause of Injury	No.	Rate
<b>All Causes</b>	<b>67</b>	<b>110.7</b>	<b>All Causes</b>	<b>5</b>	<b>36.9</b>	<b>All Causes</b>	<b>17</b>	<b>163.6</b>
MVC	15	24.8	Suffocation	2	---	Fall	5	48.1
Poisoning	14	23.1	Drowning	1	---	Suffocation	3	---
Fall	6	9.9	MVC	1	---	MVC	2	---
Homicide	6	9.9	Pedestrians	1	---	Drowning	1	---
Drowning	5	8.3				Suicide	1	---
Suffocation	5	8.3						

Rate per 100,000

**Non-Fatal Injuries, All Ages**

Cause of Injury	Number	Rate
<b>All Causes</b>	<b>7,764</b>	<b>1283.3</b>
Piercing/Cutting	1,836	303.5
Near Drowning	1,059	175.0
Falls	975	161.2
Hot Substance	949	156.9
Fire/Flame	759	125.5
Firearm	542	89.6
Foreign Body	452	74.7
Machinery	331	54.7

Rate per 10,000

**Non-Fatal Injuries For Ages 0-17, 65 & Older**

0-17 Years			65+ Years		
Cause of Injury	No.	Rate	Cause of Injury	No.	Rate
<b>All Causes</b>	<b>2,111</b>	<b>1559.1</b>	<b>All Causes</b>	<b>1,010</b>	<b>972.1</b>
Falls	450	332.3	Falls	545	524.5
Struck By/Caught In	358	264.4	Natural, Environmental	124	119.3
Sports & Recreation	289	213.4	Struck By/Caught In	74	71.2
Natural, Environmental	232	171.3	MVC	71	68.3
Overexertion	207	152.9	Overexertion	48	46.2

Rate per 10,000

## Top Causes of Injury Greenville County, 2007

### Deaths

All Ages			0-17 Years			65+ Years		
Cause of Injury	No.	Rate	Cause of Injury	No.	Rate	Cause of Injury	No.	Rate
<b>All Causes</b>	<b>290</b>	<b>67.7</b>	<b>All Causes</b>	<b>11</b>	<b>10.5</b>	<b>All Causes</b>	<b>60</b>	<b>116.9</b>
Poisoning	58	13.5	MVC	5	4.8	Fall	14	27.3
MVC	56	13.1	Drowning	2	---	MVC	11	21.4
Suicide	50	11.7	Homicide	2	---	Suffocation	6	11.7
Homicide	31	7.2	Pedestrians	1	---	Poisoning	4	---
Fall	22	5.1	Suicide	1	---	Suicide	4	---
Motor Cyclists	13	3.0				Natural/Environmental	3	---
Pedestrians	12	2.8				Fire/Flame	2	---
Fire/Flame	9	2.1				Pedestrians	2	---

Rate per 100,000

### Non-Fatal Injuries, All Ages

Cause of Injury	Number	Rate
<b>All Causes</b>	<b>40,317</b>	<b>941.5</b>
Piercing/Cutting	10,550	246.4
Near Drowning	5,684	132.7
Falls	5,005	116.9
Hot Substance	4,245	99.1
Fire/Flame	3,931	91.8
Firearm	2,862	66.8
Foreign Body	2,661	62.1
Machinery	2,279	53.2

Rate per 10,000

### Non-Fatal Injuries For Ages 0-17, 65 & Older

0-17 Years			65+ Years		
Cause of Injury	No.	Rate	Cause of Injury	No.	Rate
<b>All Causes</b>	<b>10,809</b>	<b>1034.7</b>	<b>All Causes</b>	<b>4,747</b>	<b>925.0</b>
Falls	2,662	254.8	Falls	2,947	574.2
Sports & Recreation	1,726	165.2	Natural, Environmental	614	119.6
Struck By/Caught In	1,716	164.3	MVC	279	54.4
Natural, Environmental	1,281	122.6	Struck By/Caught In	229	44.6
Overexertion	809	77.4	Piercing/Cutting	185	36.0

Rate per 10,000

## Top Causes of Injury Greenwood County, 2007

### Deaths

All Ages			0-17 Years			65+ Years		
Cause of Injury	No.	Rate	Cause of Injury	No.	Rate	Cause of Injury	No.	Rate
<b>All Causes</b>	<b>46</b>	<b>67.4</b>	<b>All Causes</b>	<b>8</b>	<b>48.0</b>	<b>All Causes</b>	<b>8</b>	<b>80.4</b>
MVC	10	14.6	Suffocation	4	---	Fall	2	---
Suicide	7	10.3	Drowning	2	---	Natural/Environmental	1	---
Poisoning	6	8.8	MVC	1	---	Suffocation	1	---
Suffocation	5	7.3	Pedestrians	1	---	Suicide	1	---
Homicide	4	---						

Rate per 100,000

### Non-Fatal Injuries, All Ages

Cause of Injury	Number	Rate
<b>All Causes</b>	<b>9,148</b>	<b>1340.2</b>
Piercing/Cutting	2,386	349.5
Near Drowning	1,241	181.8
Falls	1,106	162.0
Hot Substance	1,093	160.1
Fire/Flame	1,034	151.5
Firearm	663	97.1
Foreign Body	459	67.2
Machinery	390	57.1

Rate per 10,000

### Non-Fatal Injuries For Ages 0-17, 65 & Older

0-17 Years			65+ Years		
Cause of Injury	No.	Rate	Cause of Injury	No.	Rate
<b>All Causes</b>	<b>2,311</b>	<b>1388.0</b>	<b>All Causes</b>	<b>1,020</b>	<b>1025.1</b>
Falls	576	345.9	Falls	651	654.3
Struck By/Caught In	398	239.0	Natural, Environmental	109	109.5
Sports and Recreation	269	161.6	Struck By/Caught In	52	52.3
Natural, Environmental	226	135.7	Piercing/Cutting	48	48.2
Overexertion	199	119.5	MVC	48	48.2

Rate per 10,000

**Top Causes of Injury  
Hampton County, 2007**

**Deaths**

All Ages			0-17 Years			65+ Years		
Cause of Injury	No.	Rate	Cause of Injury	No.	Rate	Cause of Injury	No.	Rate
<b>All Causes</b>	<b>16</b>	<b>75.4</b>	<b>All Causes</b>	<b>1</b>	<b>---</b>	<b>All Causes</b>	<b>2</b>	<b>---</b>
Homicide	4	---	MVC	1	---	Natural/Environmental	1	---
MVC	4	---				Unspecified	1	---
Poisoning	2	---						
Suicide	2	---						
Motor Cyclists	1	---						

Rate per 100,000

**Non-Fatal Injuries, All Ages**

Cause of Injury	Number	Rate
<b>All Causes</b>	<b>3,156</b>	<b>1488.0</b>
Piercing/Cutting	699	329.6
Near Drowning	490	231.0
Falls	408	192.4
Hot Substance	273	128.7
Fire/Flame	266	125.4
Firearm	229	108.0
Foreign Body	202	95.2
Machinery	184	86.8

Rate per 10,000

**Non-Fatal Injuries For Ages 0-17, 65 & Older**

0-17 Years			65+ Years		
Cause of Injury	No.	Rate	Cause of Injury	No.	Rate
<b>All Causes</b>	<b>928</b>	<b>1784.6</b>	<b>All Causes</b>	<b>390</b>	<b>1423.4</b>
Falls	204	392.3	Falls	227	828.5
Sports & Recreation	124	238.5	Natural, Environmental	53	193.4
Natural, Environmental	111	213.5	Piercing/Cutting	19	69.3
Struck By/Caught In	105	201.9	Overexertion	18	65.7
MVC	79	151.9	MVC	15	54.7

Rate per 10,000

## Top Causes of Injury Horry County, 2007

### Deaths

All Ages			0-17 Years			65+ Years		
Cause of Injury	No.	Rate	Cause of Injury	No.	Rate	Cause of Injury	No.	Rate
<b>All Causes</b>	<b>214</b>	<b>85.6</b>	<b>All Causes</b>	<b>15</b>	<b>28.2</b>	<b>All Causes</b>	<b>40</b>	<b>96.3</b>
MVC	63	25.2	MVC	7	13.1	MVC	10	24.1
Suicide	42	16.8	Drowning	3	---	Suicide	7	16.8
Poisoning	31	12.4	Poisoning	2	---	Fall	6	14.4
Homicide	15	6.0	Other Transport	1	---	Suffocation	4	---
Pedestrians	11	4.4	Pedestrians	1	---	Homicide	2	---
Fall	9	3.6	Suffocation	1	---	Motor Cyclists	2	---
Suffocation	7	2.8				Fire/Flame	1	---
Drowning	6	2.4				Pedestrians	1	---

Rate per 100,000

### Non-Fatal Injuries, All Ages

Cause of Injury	Number	Rate
<b>All Causes</b>	<b>29,197</b>	<b>1168.2</b>
Piercing/Cutting	7,438	297.6
Near Drowning	3,943	157.8
Falls	3,479	139.2
Hot Substance	3,277	131.1
Fire/Flame	2,567	102.7
Firearm	2,320	92.8
Foreign Body	1,802	72.1
Machinery	1,580	63.2

Rate per 10,000

### Non-Fatal Injuries For Ages 0-17, 65 & Older

0-17			65+		
Cause of Injury	No.	Rate	Cause of Injury	No.	Rate
<b>All Causes</b>	<b>6,946</b>	<b>1304.4</b>	<b>All Causes</b>	<b>3,597</b>	<b>865.7</b>
Falls	1,644	308.7	Falls	1,941	467.1
Struck By/Caught In	1,078	202.4	Natural, Environmental	487	117.2
Natural, Environmental	967	181.6	Struck By/Caught In	241	58.0
Sports & Recreation	921	173.0	MVC	228	54.9
Piercing/Cutting	498	93.5	Piercing/Cutting	203	48.9

Rate per 10,000

## Top Causes of Injury Jasper County, 2007

### Deaths

All Ages			0-17 Years			65+ Years		
Cause of Injury	No.	Rate	Cause of Injury	No.	Rate	Cause of Injury	No.	Rate
<b>All Causes</b>	<b>20</b>	<b>91.1</b>	<b>All Causes</b>	<b>0</b>	<b>0</b>	<b>All Causes</b>	<b>5</b>	<b>188.0</b>
MVC	9	41.0				Suffocation	2	---
Homicide	3	---				Unspecified	2	---
Poisoning	2	---				MVC	1	---
Suffocation	2	---						
Drowning	1	---						
Suicide	1	---						

Rate per 100,000

### Non-Fatal Injuries, All Ages

Cause of Injury	Number	Rate
<b>All Causes</b>	<b>2,240</b>	<b>1020.5</b>
Falls	393	179.0
MVC	383	174.5
Natural, Environmental	290	132.1
Overexertion	244	111.2
Struck By/Caught In	240	109.3
Piercing/Cutting	192	87.5
Assault	147	67.0
Sports & Recreation	129	58.8

Rate per 10,000

### Non-Fatal Injuries For Ages 0-17, 65 & Older

0-17 Years			65+ Years		
Cause of Injury	No.	Rate	Cause of Injury	No.	Rate
<b>All Causes</b>	<b>592</b>	<b>1057.1</b>	<b>All Causes</b>	<b>170</b>	<b>639.1</b>
Falls	103	183.9	Falls	65	244.4
Struck By/Caught In	98	175.0	Natural, Environmental	24	90.2
Sports & Recreation	81	144.6	MVC	21	78.9
Natural, Environmental	75	133.9	Overexertion	15	56.4
MVC	57	101.8	Piercing/Cutting	12	45.1

Rate per 10,000

**Top Causes of Injury**  
**Kershaw County, 2007**

**Deaths**

All Ages			0-17 Years			65+ Years		
Cause of Injury	No.	Rate	Cause of Injury	No.	Rate	Cause of Injury	No.	Rate
<b>All Causes</b>	<b>46</b>	<b>79.1</b>	<b>All Causes</b>	<b>4</b>	<b>---</b>	<b>All Causes</b>	<b>6</b>	<b>77.3</b>
MVC	18	30.9	Drowning	1	---	Fall	3	---
Fall	6	10.3	Fall	1	---	MVC	1	---
Poisoning	6	10.3	Homicide	1	---	Poisoning	1	---
Homicide	5	8.6	Pedal Cyclists	1	---	Undetermined Intention	1	---
Drowning	3	---						
Suicide	3	---						

Rate per 100,000

**Non-Fatal Injuries, All Ages**

Cause of Injury	Number	Rate
<b>All Causes</b>	<b>6,475</b>	<b>1113.1</b>
Falls	1,552	266.8
MVC	1,063	182.7
Natural, Environmental	985	169.3
Struck By/Caught In	667	114.7
Overexertion	529	90.9
Piercing/Cutting	475	81.7
Sports & Recreation	316	54.3
Assault	228	39.2

Rate per 10,000

**Non-Fatal Injuries For Ages 0-17, 65 & Older**

0-17 Years			65+ Years		
Cause of Injury	No.	Rate	Cause of Injury	No.	Rate
<b>All Causes</b>	<b>1,706</b>	<b>1210.8</b>	<b>All Causes</b>	<b>800</b>	<b>1030.9</b>
Falls	409	290.3	Falls	444	572.2
Struck By/Caught In	247	175.3	Natural, Environmental	99	127.6
Natural, Environmental	223	158.3	MVC	86	110.8
Sports & Recreation	206	146.2	Struck By/Caught In	44	56.7
MVC	173	122.8	Overexertion	36	46.4

Rate per 10,000

**Top Causes of Injury  
Lancaster County, 2007**

**Deaths**

All Ages			0-17 Years			65+ Years		
Cause of Injury	No.	Rate	Cause of Injury	No.	Rate	Cause of Injury	No.	Rate
<b>All Causes</b>	<b>46</b>	<b>62.7</b>	<b>All Causes</b>	<b>3</b>	<b>---</b>	<b>All Causes</b>	<b>13</b>	<b>136.0</b>
Suicide	12	16.4	Other Transport	1	---	Fall	6	62.8
Fall	7	9.5	Pedal Cyclists	1	---	Suffocation	2	---
MVC	6	8.2	Pedestrians	1	---	Fire/Flame	1	---
Homicide	4	---				Suicide	1	---
Motor Cyclists	3	---						
Pedestrians	3	---						

Rate per 100,000

**Non-Fatal Injuries, All Ages**

Cause of Injury	Number	Rate
<b>All Causes</b>	<b>6,013</b>	<b>819.3</b>
Falls	1,354	184.5
MVC	1,010	137.6
Natural, Environmental	985	134.2
Struck By/Caught In	521	71.0
Overexertion	490	66.8
Piercing/Cutting	349	47.6
Sports & Recreation	342	46.6
Assault	282	38.4

Rate per 10,000

**Non-Fatal Injuries For Ages 0-17, 65 & Older**

0-17 Years			65+ Years		
Cause of Injury	No.	Rate	Cause of Injury	No.	Rate
<b>All Causes</b>	<b>1,636</b>	<b>961.2</b>	<b>All Causes</b>	<b>641</b>	<b>670.5</b>
Falls	377	221.5	Falls	388	405.9
Sports & Recreation	234	137.5	Natural, Environmental	95	99.4
Natural, Environmental	226	132.8	MVC	60	62.8
Struck By/Caught In	195	114.6	Piercing/Cutting	22	23.0
MVC	184	108.1	Struck By/Caught In	21	22.0

Rate per 10,000

**Top Causes of Injury  
Laurens County, 2007**

**Deaths**

All Ages			0-17 Years			65+ Years		
Cause of Injury	No.	Rate	Cause of Injury	No.	Rate	Cause of Injury	No.	Rate
<b>All Causes</b>	<b>52</b>	<b>74.7</b>	<b>All Causes</b>	<b>3</b>	<b>---</b>	<b>All Causes</b>	<b>8</b>	<b>82.8</b>
MVC	13	18.7	Suffocation	2	---	Suicide	2	---
Poisoning	11	15.8	MVC	1	---	Cut/Pierce	1	---
Homicide	8	11.5				Fall	1	---
Suicide	7	10.1				Fire/Flame	1	---
Suffocation	3	---				Poisoning	1	---
Motor Cyclists	2	---				Suffocation	1	---

Rate per 100,000

**Non-Fatal Injuries, All Ages**

Cause of Injury	Number	Rate
<b>All Causes</b>	<b>7,043</b>	<b>1012.2</b>
Falls	1,758	252.7
Natural, Environmental	1,310	188.3
Struck By/Caught In	851	122.3
Overexertion	752	108.1
MVC	714	102.6
Piercing/Cutting	440	63.2
Assault	296	42.5
Sports & Recreation	286	41.1

Rate per 10,000

**Non-Fatal Injuries For Ages 0-17, 65 & Older**

0-17 Years			65+ Years		
Cause of Injury	No.	Rate	Cause of Injury	No.	Rate
<b>All Causes</b>	<b>1,819</b>	<b>1131.2</b>	<b>All Causes</b>	<b>722</b>	<b>747.4</b>
Falls	418	260.0	Falls	422	436.9
Struck By/Caught In	332	206.5	Natural, Environmental	136	140.8
Natural, Environmental	287	178.5	MVC	30	31.1
Sports and Recreation	200	124.4	Struck By/Caught In	30	31.1
Overexertion	122	75.9	Piercing/Cutting	25	25.9

Rate per 10,000

**Top Causes of Injury**  
**Lee County, 2007**

**Deaths**

All Ages			0-17 Years			65+ Years		
Cause of Injury	No.	Rate	Cause of Injury	No.	Rate	Cause of Injury	No.	Rate
<b>All Causes</b>	<b>17</b>	<b>85.0</b>	<b>All Causes</b>	<b>1</b>	<b>---</b>	<b>All Causes</b>	<b>5</b>	<b>200.8</b>
MVC	6	30.0	Pedestrians	1	---	MVC	2	---
Homicide	2	---				Machinery	1	---
Fire/Flame	1	---				Suffocation	1	---
Machinery	1	---						
Motor Cyclists	1	---						

Rate per 100,000

**Non-Fatal Injuries, All Ages**

Cause of Injury	Number	Rate
<b>All Causes</b>	<b>1,626</b>	<b>813.4</b>
Falls	384	192.1
MVC	253	126.6
Natural, Environmental	249	124.6
Struck By/Caught In	187	93.5
Piercing/Cutting	106	53.0
Overexertion	106	53.0
Assault	89	44.5
Sports & Recreation	45	22.5

Rate per 10,000

**Non-Fatal Injuries For Ages 0-17, 65 & Older**

0-17 Years			65+ Years		
Cause of Injury	No.	Rate	Cause of Injury	No.	Rate
<b>All Causes</b>	<b>390</b>	<b>864.7</b>	<b>All Causes</b>	<b>196</b>	<b>787.1</b>
Falls	85	188.5	Falls	111	445.8
Struck By/Caught In	74	164.1	Natural, Environmental	30	120.5
Natural, Environmental	62	137.5	MVC	14	56.2
MVC	51	113.1	Overexertion	6	24.1
Piercing/Cutting	30	66.5	Struck By/Caught In	6	24.1

Rate per 10,000

**Top Causes of Injury**  
**Lexington County, 2007**

**Deaths**

All Ages			0-17 Years			65+ Years		
Cause of Injury	No.	Rate	Cause of Injury	No.	Rate	Cause of Injury	No.	Rate
<b>All Causes</b>	<b>170</b>	<b>69.9</b>	<b>All Causes</b>	<b>9</b>	<b>15.1</b>	<b>All Causes</b>	<b>27</b>	<b>94.8</b>
MVC	44	18.1	MVC	4	---	Fall	8	28.1
Suicide	37	15.2	Suffocation	3	---	Suicide	5	17.6
Poisoning	27	11.1	Drowning	1	---	Natural/Environmental	3	---
Homicide	14	5.8	Homicide	1	---	Suffocation	2	---
Fall	11	4.5				Fire/Flame	1	---
Suffocation	8	3.3				Homicide	1	---
Natural/Environmental	3	---						
Pedestrians	3	---						

Rate per 100,000

**Non-Fatal Injuries, All Ages**

Cause of Injury	Number	Rate
<b>All Causes</b>	<b>16,997</b>	<b>698.7</b>
Falls	4,441	182.6
MVC	2,823	116.0
Natural, Environmental	2,318	95.3
Struck By/Caught In	1,606	66.0
Overexertion	1,485	61.0
Piercing/Cutting	1,056	43.4
Assault	849	34.9
Sports & Recreation	695	28.6

Rate per 10,000

**Non-Fatal Injuries For Ages 0-17, 65 & Older**

0-17 Years			65+ Years		
Cause of Injury	No.	Rate	Cause of Injury	No.	Rate
<b>All Causes</b>	<b>3,781</b>	<b>633.0</b>	<b>All Causes</b>	<b>2,167</b>	<b>760.6</b>
Falls	842	141.0	Falls	1,437	504.4
Struck By/Caught In	533	89.2	Natural, Environmental	231	81.1
Natural, Environmental	507	84.9	MVC	163	57.2
MVC	455	76.2	Struck By/Caught In	72	25.3
Sports & Recreation	415	69.5	Overexertion	69	24.2

Rate per 10,000

**Top Causes of Injury**  
**McCormick County, 2007**

**Deaths**

All Ages			0-17 Years			65+ Years		
Cause of Injury	No.	Rate	Cause of Injury	No.	Rate	Cause of Injury	No.	Rate
<b>All Causes</b>	<b>7</b>	<b>69.3</b>	<b>All Causes</b>	<b>0</b>	<b>0</b>	<b>All Causes</b>	<b>2</b>	<b>---</b>
Drowning	2	---				Pedestrians	1	---
Poisoning	2	---				Suffocation	1	---
MVC	1	---						
Pedestrians	1	---						
Suffocation	1	---						

Rate per 100,000

**Non-Fatal Injuries, All Ages**

Cause of Injury	Number	Rate
<b>All Causes</b>	<b>712</b>	<b>705.0</b>
Falls	179	177.2
Natural, Environmental	99	98.0
MVC	92	91.1
Overexertion	86	85.1
Struck By/Caught In	63	62.4
Piercing/Cutting	46	45.5
Assault	30	29.7
Sports & Recreation	26	25.7

Rate per 10,000

**Non-Fatal Injuries For Ages 0-17, 65 & Older**

0-17 Years			65+ Years		
Cause of Injury	No.	Rate	Cause of Injury	No.	Rate
<b>All Causes</b>	<b>158</b>	<b>975.3</b>	<b>All Causes</b>	<b>112</b>	<b>509.1</b>
Falls	24	148.1	Falls	66	300.0
Natural, Environmental	23	142.0	Natural, Environmental	12	54.5
MVC	20	123.5	Overexertion	8	36.4
Struck By/Caught In	20	123.5	Piercing/Cutting	7	31.8
Overexertion	18	111.1	Struck By/Caught In	5	22.7

Rate per 10,000

## **Top Causes of Injury Marion County, 2007**

### **Deaths**

<b>All Ages</b>			<b>0-17 Years</b>			<b>65+ Years</b>		
Cause of Injury	No.	Rate	Cause of Injury	No.	Rate	Cause of Injury	No.	Rate
<b>All Causes</b>	<b>27</b>	<b>79.6</b>	<b>All Causes</b>	<b>3</b>	<b>---</b>	<b>All Causes</b>	<b>3</b>	<b>---</b>
MVC	9	26.5	MVC	3	---	Homicide	2	---
Homicide	6	17.7				MVC	1	---
Suicide	3	---						
Drowning	2	---						
Pedestrians	2	---						

Rate per 100,000

### **Non-Fatal Injuries, All Ages**

Cause of Injury	Number	Rate
<b>All Causes</b>	<b>3,552</b>	<b>1047.5</b>
Falls	882	260.1
Natural, Environmental Factors	587	173.1
Struck By/Caught In	423	124.7
MVC	411	121.2
Overexertion	301	88.8
Sports & Recreation	219	64.6
Piercing/Cutting	190	56.0
Assault	154	45.4

Rate per 10,000

### **Non-Fatal Injuries For Ages 0-17, 65 & Older**

<b>0-17 Years</b>			<b>65+ Years</b>		
Cause of Injury	No.	Rate	Cause of Injury	No.	Rate
<b>All Causes</b>	<b>1,036</b>	<b>1248.2</b>	<b>All Causes</b>	<b>473</b>	<b>1046.5</b>
Falls	220	265.1	Falls	271	599.6
Struck By/Caught In	182	219.3	Natural, Environmental	81	179.2
Sports & Recreation	153	184.3	Overexertion	25	55.3
Natural, Environmental	143	172.3	MVC	23	50.9
Overexertion	75	90.4	Struck By/Caught In	21	46.5

Rate per 10,000

**Top Causes of Injury**  
**Marlboro County, 2007**

**Deaths**

All Ages			0-17 Years			65+ Years		
Cause of Injury	No.	Rate	Cause of Injury	No.	Rate	Cause of Injury	No.	Rate
<b>All Causes</b>	<b>16</b>	<b>55.5</b>	<b>All Causes</b>	<b>0</b>	<b>0</b>	<b>All Causes</b>	<b>5</b>	<b>137.0</b>
Homicide	4	---				MVC	3	---
Poisoning	4	---				Fall	1	---
MVC	3	---				Homicide	1	---
Suicide	2	---						
Fall	1	---						
Firearm	1	---						

Rate per 100,000

**Non-Fatal Injuries, All Ages**

Cause of Injury	Number	Rate
<b>All Causes</b>	<b>2,743</b>	<b>951.8</b>
Natural, Environmental	541	187.7
Falls	524	181.8
MVC	408	141.6
Struck By/Caught In	264	91.6
Assault	200	69.4
Piercing/Cutting	185	64.2
Sports & Recreation	180	62.5
Overexertion	171	59.3

Rate per 10,000

**Non-Fatal Injuries For Ages 0-17, 65 & Older**

0-17 Years			65+ Years		
Cause of Injury	No.	Rate	Cause of Injury	No.	Rate
<b>All Causes</b>	<b>878</b>	<b>1378.3</b>	<b>All Causes</b>	<b>226</b>	<b>619.2</b>
Natural, Environmental	185	290.4	Falls	120	328.8
Falls	145	227.6	Natural, Environmental	42	115.1
Sports and Recreation	131	205.7	Struck By/Caught In	21	57.5
Struck By/Caught In	107	168.0	MVC	19	52.1
MVC	71	111.5	Piercing/Cutting	8	21.9

Rate per 10,000

## Top Causes of Injury Newberry County, 2007

### Deaths

All Ages			0-17 Years			65+ Years		
Cause of Injury	No.	Rate	Cause of Injury	No.	Rate	Cause of Injury	No.	Rate
<b>All Causes</b>	<b>26</b>	<b>69.1</b>	<b>All Causes</b>	<b>1</b>	<b>---</b>	<b>All Causes</b>	<b>5</b>	<b>91.1</b>
MVC	6	15.9	MVC	1	---	Fall	2	---
Homicide	5	13.3				Fire/Flame	2	---
Poisoning	4	---				Suffocation	1	---
Fall	3	---						
Fire/Flame	2	---						
Suffocation	2	---						

Rate per 100,000

### Non-Fatal Injuries, All Ages

Cause of Injury	Number	Rate
<b>All Causes</b>	<b>4,185</b>	<b>1112.1</b>
Falls	1,035	275.0
Natural, Environmental	632	168.0
MVC	523	139.0
Overexertion	446	118.5
Struck By/Caught In	416	110.6
Piercing/Cutting	298	79.2
Sports & Recreation	252	67.0
Assault	129	34.3

Rate per 10,000

### Non-Fatal Injuries For Ages 0-17, 65 & Older

0-17 Years			65+ Years		
Cause of Injury	No.	Rate	Cause of Injury	No.	Rate
<b>All Causes</b>	<b>1,153</b>	<b>1301.4</b>	<b>All Causes</b>	<b>485</b>	<b>883.4</b>
Falls	277	312.6	Falls	296	539.2
Sports & Recreation	180	203.2	Natural, Environmental	56	102.0
Struck By/Caught In	153	172.7	MVC	32	58.3
Natural, Environmental	119	134.3	Overexertion	28	51.0
MVC	92	103.8	Struck By/Caught In	20	36.4

Rate per 10,000

## Top Causes of Injury Oconee County, 2007

### Deaths

All Ages			0-17 Years			65+ Years		
Cause of Injury	No.	Rate	Cause of Injury	No.	Rate	Cause of Injury	No.	Rate
<b>All Causes</b>	<b>74</b>	<b>104.6</b>	<b>All Causes</b>	<b>8</b>	<b>52.9</b>	<b>All Causes</b>	<b>11</b>	<b>85.8</b>
Poisoning	19	26.9	MVC	3	---	MVC	3	---
MVC	15	21.2	Drowning	2	---	Fall	2	---
Suicide	13	18.4	Suffocation	2	---	Poisoning	2	---
Fall	7	9.9	Suicide	1	---	Suicide	2	---
Suffocation	5	7.1				Drowning	1	---
Drowning	4	---				Struck by/caught	1	---

Rate per 100,000

### Non-Fatal Injuries, All Ages

Cause of Injury	Number	Rate
<b>All Causes</b>	<b>8,057</b>	<b>1138.8</b>
Falls	2,166	306.1
Natural, Environmental	1,106	156.3
Struck By/Caught In	933	131.9
Overexertion and Strenuous Activity	785	111.0
MVC	751	106.1
Piercing/Cutting	612	86.5
Sports & Recreation	470	66.4
Assault	323	45.7

Rate per 10,000

### Non-Fatal Injuries For Ages 0-17, 65 & Older

0-17 Years			65+ Years		
Cause of Injury	No.	Rate	Cause of Injury	No.	Rate
<b>All Causes</b>	<b>2,001</b>	<b>1324.3</b>	<b>All Causes</b>	<b>1,183</b>	<b>922.8</b>
Falls	453	299.8	Falls	693	540.6
Struck By/Caught In	318	210.5	Natural, Environmental	166	129.5
Sports & Recreation	311	205.8	Struck By/Caught In	78	60.8
Natural, Environmental	215	142.3	MVC	57	44.5
Overexertion	167	110.5	Overexertion	48	37.4

Rate per 10,000

## Top Causes of Injury Orangeburg County, 2007

### Deaths

All Ages			0-17 Years			65+ Years		
Cause of Injury	No.	Rate	Cause of Injury	No.	Rate	Cause of Injury	No.	Rate
<b>All Causes</b>	<b>89</b>	<b>98.9</b>	<b>All Causes</b>	<b>5</b>	<b>22.5</b>	<b>All Causes</b>	<b>21</b>	<b>161.2</b>
MVC	29	32.2	MVC	3	---	MVC	6	46.0
Homicide	10	11.1	Drowning	1	---	Fall	5	38.4
Fall	7	7.8	Other Transport	1	---	Homicide	1	---
Poisoning	7	7.8				Poisoning	1	---
Suicide	7	7.8				Struck by/caught	1	---
Pedestrians	6	6.7				Suffocation	1	---

Rate per 100,000

### Non-Fatal Injuries, All Ages

Cause of Injury	Number	Rate
<b>All Causes</b>	<b>9,831</b>	<b>1092.9</b>
Falls	2,140	237.9
MVC	1,699	188.9
Natural, Environmental	1,358	151.0
Struck By/Caught In	1,080	120.1
Overexertion	879	97.7
Piercing/Cutting	653	72.6
Assault	602	66.9
Sports & Recreation	312	34.7

Rate per 10,000

### Non-Fatal Injuries For Ages 0-17, 65 & Older

0-17 Years			65+ Years		
Cause of Injury	No.	Rate	Cause of Injury	No.	Rate
<b>All Causes</b>	<b>2,359</b>	<b>1059.3</b>	<b>All Causes</b>	<b>1,024</b>	<b>785.9</b>
Falls	495	222.3	Falls	564	432.8
Struck By/Caught In	370	166.1	Natural, Environmental	147	112.8
Natural, Environmental	332	149.1	MVC	83	63.7
MVC	247	110.9	Struck By/Caught In	63	48.3
Sports & Recreation	220	98.8	Overexertion	43	33.0

Rate per 10,000

## Top Causes of Injury Pickens County, 2007

### Deaths

All Ages			0-17 Years			65+ Years		
Cause of Injury	No.	Rate	Cause of Injury	No.	Rate	Cause of Injury	No.	Rate
<b>All Causes</b>	<b>91</b>	<b>78.4</b>	<b>All Causes</b>	<b>4</b>	<b>---</b>	<b>All Causes</b>	<b>25</b>	<b>167.2</b>
MVC	24	20.7	MVC	3	---	Fall	9	60.2
Poisoning	18	15.5	Suffocation	1	---	MVC	5	33.4
Suicide	18	15.5				Suicide	3	---
Fall	9	7.8				Drowning	1	---
Homicide	4	---				Fire/Flame	1	---
Drowning	3	---				Machinery	1	---

Rate per 100,000

### Non-Fatal Injuries, All Ages

Cause of Injury	Number	Rate
<b>All Causes</b>	<b>12,397</b>	<b>1068.7</b>
Falls	3,444	296.9
Natural, Environmental	1,676	144.5
Overexertion	1,338	115.3
MVC	1,324	114.1
Struck By/Caught In	1,264	109.0
Piercing/Cutting	886	76.4
Sports & Recreation	845	72.8
Assault	352	30.3

Rate per 10,000

### Non-Fatal Injuries For Ages 0-17, 65 & Older

0-17 Years			65+ Years		
Cause of Injury	No.	Rate	Cause of Injury	No.	Rate
<b>All Causes</b>	<b>3,269</b>	<b>1255.4</b>	<b>All Causes</b>	<b>1,447</b>	<b>967.9</b>
Falls	813	312.2	Falls	927	620.1
Sports & Recreation	575	220.8	Natural, Environmental	145	97.0
Struck By/Caught In	455	174.7	MVC	84	56.2
Natural, Environmental	405	155.5	Overexertion	76	50.8
MVC	240	92.2	Piercing/Cutting	56	37.5

Rate per 10,000

**Top Causes of Injury**  
**Richland County, 2007**

**Deaths**

All Ages			0-17 Years			65+ Years		
Cause of Injury	No.	Rate	Cause of Injury	No.	Rate	Cause of Injury	No.	Rate
<b>All Causes</b>	<b>215</b>	<b>60.1</b>	<b>All Causes</b>	<b>21</b>	<b>23.5</b>	<b>All Causes</b>	<b>42</b>	<b>121.7</b>
MVC	54	15.1	Homicide	9	10.1	Fall	16	46.3
Homicide	44	12.3	MVC	4	---	MVC	6	17.4
Suicide	33	9.2	Suffocation	4	---	Suffocation	4	---
Poisoning	23	6.4	Drowning	1	---	Suicide	3	---
Fall	18	5.0	Firearm	1	---	Other Causes	2	---
Suffocation	9	2.5	Poisoning	1	---	Other Transport	2	---
Other Transport	4	---				Poisoning	2	---
Pedestrians	4	---				Firearm	1	---
Firearm	3	---						

Rate per 100,000

**Non-Fatal Injuries, All Ages**

Cause of Injury	Number	Rate
<b>All Causes</b>	<b>22,365</b>	<b>625.2</b>
Falls	5,123	143.2
MVC	4,100	114.6
Natural, Environmental	3,817	106.7
Struck By/Caught In	1,874	52.4
Overexertion	1,813	50.7
Piercing/Cutting	1,280	35.8
Assault	1,211	33.9
Sports & Recreation	947	26.5

Rate per 10,000

**Non-Fatal Injuries For Ages 0-17, 65 & Older**

0-17 Years			65+ Years		
Cause of Injury	No.	Rate	Cause of Injury	No.	Rate
<b>All Causes</b>	<b>5,595</b>	<b>626.4</b>	<b>All Causes</b>	<b>2,640</b>	<b>764.8</b>
Falls	1,237	138.5	Falls	1,563	452.8
Natural, Environmental	966	108.2	Natural, Environmental	377	109.2
Struck By/Caught In	718	80.4	MVC	216	62.6
MVC	612	68.5	Overexertion	111	32.2
Sports & Recreation	603	67.5	Struck By/Caught In	94	27.2

Rate per 10,000

**Top Causes of Injury**  
**Saluda County, 2007**

**Deaths**

All Ages			0-17 Years			65+ Years		
Cause of Injury	No.	Rate	Cause of Injury	No.	Rate	Cause of Injury	No.	Rate
<b>All Causes</b>	<b>19</b>	<b>101.3</b>	<b>All Causes</b>	<b>1</b>	<b>---</b>	<b>All Causes</b>	<b>8</b>	<b>288.8</b>
Suicide	8	42.7	Homicide	1		Suicide	3	
MVC	3					Fall	2	
Fall	2					MVC	1	
Poisoning	2					Machinery	1	

Rate per 100,000

**Non-Fatal Injuries, All Ages**

Cause of Injury	Number	Rate
<b>All Causes</b>	<b>888</b>	<b>473.6</b>
Falls	220	117.3
MVC	170	90.7
Natural, Environmental	101	53.9
Struck By/Caught In	84	44.8
Overexertion	76	40.5
Sports & Recreation	52	27.7
Piercing/Cutting	48	25.6
Assault	38	20.3

Rate per 10,000

**Non-Fatal Injuries For Ages 0-17, 65 & Older**

0-17 Years			65+ Years		
Cause of Injury	No.	Rate	Cause of Injury	No.	Rate
<b>All Causes</b>	<b>212</b>	<b>498.8</b>	<b>All Causes</b>	<b>129</b>	<b>465.7</b>
Falls	45	105.9	Falls	86	310.5
Sports & Recreation	35	82.4	Natural, Environmental	13	46.9
Struck By/Caught In	30	70.6	MVC	11	39.7
Natural, Environmental	22	51.8	Piercing/Cutting	4	---
MVC	20	47.1	Struck By/Caught In	4	---

Rate per 10,000

**Top Causes of Injury  
Spartanburg County, 2007**

**Deaths**

All Ages			0-17 Years			65+ Years		
Cause of Injury	No.	Rate	Cause of Injury	No.	Rate	Cause of Injury	No.	Rate
<b>All Causes</b>	<b>221</b>	<b>80.2</b>	<b>All Causes</b>	<b>14</b>	<b>21.3</b>	<b>All Causes</b>	<b>43</b>	<b>118.6</b>
MVC	46	16.7	MVC	4	---	Fall	10	27.6
Poisoning	38	13.8	Pedestrians	3	---	MVC	8	22.1
Suicide	35	12.7	Homicide	2	---	Homicide	3	---
Homicide	26	9.4	Drowning	1	---	Motor Cyclists	2	---
Fall	14	5.1	Natural/Environmental	1	---	Fire/Flame	1	---
Motor Cyclists	9	3.3	Poisoning	1	---	Natural/Environmental	1	---
Undetermined Intention	9	3.3				Pedestrians	1	---
Pedestrians	8	2.9				Poisoning	1	---
Suffocation	7	2.5				Suffocation	1	---

Rate per 100,000

**Non-Fatal Injuries, All Ages**

Cause of Injury	Number	Rate
<b>All Causes</b>	<b>28,489</b>	<b>1034.0</b>
Falls	7,488	271.8
MVC	4,121	149.6
Natural, Environmental	3,955	143.5
Struck By/Caught In	2,908	105.5
Overexertion	2,764	100.3
Piercing/Cutting	1,671	60.6
Assault	1,244	45.1
Sports & Recreation	1,239	45.0

Rate per 10,000

**Non-Fatal Injuries For Ages 0-17, 65 & Older**

0-17 Years			65+ Years		
Cause of Injury	No.	Rate	Cause of Injury	No.	Rate
<b>All Causes</b>	<b>6,660</b>	<b>1010.9</b>	<b>All Causes</b>	<b>3,430</b>	<b>946.2</b>
Falls	1,690	256.5	Falls	2,140	590.3
Struck By/Caught In	985	149.5	Natural, Environmental	445	122.8
Natural, Environmental	780	118.4	MVC	217	59.9
Sports & Recreation	775	117.6	Struck By/Caught In	130	35.9
MVC	732	111.1	Overexertion	129	35.6

Rate per 10,000

## Top Causes of Injury Sumter County, 2007

### Deaths

All Ages			0-17 Years			65+ Years		
Cause of Injury	No.	Rate	Cause of Injury	No.	Rate	Cause of Injury	No.	Rate
<b>All Causes</b>	<b>62</b>	<b>59.6</b>	<b>All Causes</b>	<b>10</b>	<b>36.2</b>	<b>All Causes</b>	<b>7</b>	<b>51.4</b>
MVC	18	17.3	MVC	4	---	MVC	2	---
Suicide	14	13.5	Homicide	3	---	Drowning	1	---
Homicide	10	9.6	Fire/Flame	2	---	Other Causes	1	---
Poisoning	4	---	Suffocation	1	---	Suffocation	1	---
Fire/Flame	3	---				Suicide	1	---
Motor Cyclists	2	---				Undetermined Intention	1	---

Rate per 100,000

### Non-Fatal Injuries, All Ages

Cause of Injury	Number	Rate
<b>All Causes</b>	<b>7,986</b>	<b>768.3</b>
Falls	1,763	169.6
MVC	1,392	133.9
Natural, Environmental	1,201	115.5
Struck By/Caught In	776	74.7
Overexertion	612	58.9
Piercing/Cutting	510	49.1
Sports & Recreation	441	42.4
Assault	397	38.2

Rate per 10,000

### Non-Fatal Injuries For Ages 0-17, 65 & Older

0-17 Years			65+ Years		
Cause of Injury	No.	Rate	Cause of Injury	No.	Rate
<b>All Causes</b>	<b>2,172</b>	<b>786.7</b>	<b>All Causes</b>	<b>848</b>	<b>623.1</b>
Falls	497	180.0	Falls	518	380.6
Struck By/Caught In	302	109.4	Natural, Environmental	102	74.9
Natural, Environmental	292	105.8	MVC	76	55.8
Sports & Recreation	272	98.5	Struck By/Caught In	37	27.2
MVC	266	96.3	Piercing/Cutting	24	17.6

Rate per 10,000

## Top Causes of Injury Union County, 2007

### Deaths

All Ages			0-17 Years			65+ Years		
Cause of Injury	No.	Rate	Cause of Injury	No.	Rate	Cause of Injury	No.	Rate
<b>All Causes</b>	<b>24</b>	<b>86.4</b>	<b>All Causes</b>	<b>1</b>	<b>---</b>	<b>All Causes</b>	<b>8</b>	<b>174.7</b>
Poisoning	4	---	Suffocation	1	---	Suffocation	2	---
Suffocation	4	---				Fall	1	---
Fire/Flame	3	---				Fire/Flame	1	---
MVC	3	---				MVC	1	---
Suicide	3	---				Poisoning	1	---
Homicide	2	---				Suicide	1	---

Rate per 100,000

### Non-Fatal Injuries, All Ages

Cause of Injury	Number	Rate
<b>All Causes</b>	<b>3,357</b>	<b>1208.9</b>
Falls	906	326.3
Natural, Environmental	665	239.5
MVC	376	135.4
Overexertion	313	112.7
Struck By/Caught In	273	98.3
Piercing/Cutting	203	73.1
Assault	128	46.1
Sports & Recreation	126	45.4

Rate per 10,000

### Non-Fatal Injuries For Ages 0-17, 65 & Older

0-17 Years			65+ Years		
Cause of Injury	No.	Rate	Cause of Injury	No.	Rate
<b>All Causes</b>	<b>857</b>	<b>1373.4</b>	<b>All Causes</b>	<b>451</b>	<b>984.7</b>
Falls	220	352.6	Falls	273	596.1
Natural, Environmental	148	237.2	Natural, Environmental	65	141.9
Sports & Recreation	95	152.2	MVC	31	67.7
Struck By/Caught In	93	149.0	Piercing/Cutting	20	43.7
MVC	58	92.9	Struck By/Caught In	16	34.9

Rate per 10,000

## Top Causes of Injury Williamsburg County, 2007

### Deaths

All Ages			0-17 Years			65+ Years		
Cause of Injury	No.	Rate	Cause of Injury	No.	Rate	Cause of Injury	No.	Rate
<b>All Causes</b>	<b>33</b>	<b>93.1</b>	<b>All Causes</b>	<b>3</b>	<b>---</b>	<b>All Causes</b>	<b>8</b>	<b>157.8</b>
MVC	12	33.9	Homicide	1	---	MVC	3	---
Homicide	4	---	MVC	1	---	Suffocation	2	---
Suffocation	4	---	Other Transport	1	---	Suicide	2	---
Suicide	4	---				Fall	1	---

Rate per 100,000

### Non-Fatal Injuries, All Ages

Cause of Injury	Number	Rate
<b>All Causes</b>	<b>3,267</b>	<b>921.6</b>
Falls	755	213.0
MVC	569	160.5
Natural, Environmental	502	141.6
Struck By/Caught In	341	96.2
Overexertion	235	66.3
Piercing/Cutting	208	58.7
Assault	160	45.1
Sports & Recreation	126	35.5

Rate per 10,000

### Non-Fatal Injuries For Ages 0-17, 65 & Older

0-17 Years			65+ Years		
Cause of Injury	No.	Rate	Cause of Injury	No.	Rate
<b>All Causes</b>	<b>937</b>	<b>1120.8</b>	<b>All Causes</b>	<b>356</b>	<b>702.2</b>
Falls	222	265.6	Falls	203	400.4
Natural, Environmental	146	174.6	Natural, Environmental	38	75.0
Struck By/Caught In	141	168.7	MVC	28	55.2
MVC	95	113.6	Struck By/Caught In	19	37.5
Sports & Recreation	91	108.9	Piercing/Cutting	14	27.6

Rate per 10,000

## Top Causes of Injury York County, 2007

### Deaths

All Ages			0-17 Years			65+ Years		
Cause of Injury	No.	Rate	Cause of Injury	No.	Rate	Cause of Injury	No.	Rate
<b>All Causes</b>	<b>114</b>	<b>54.6</b>	<b>All Causes</b>	<b>8</b>	<b>15.4</b>	<b>All Causes</b>	<b>18</b>	<b>80.3</b>
MVC	30	14.4	Homicide	3	---	Fall	7	31.2
Suicide	21	10.1	MVC	2	---	MVC	4	---
Poisoning	18	8.6	Poisoning	2	---	Suicide	3	---
Homicide	12	5.7	Suffocation	1	---	Fire/Flame	1	---
Fall	11	5.3				Suffocation	1	---
Motor Cyclists	6	2.9						
Fire/Flame	4	---						
Pedestrians	3	---						

Rate per 100,000

### Non-Fatal Injuries, All Ages

Cause of Injury	Number	Rate
<b>All Causes</b>	<b>11,590</b>	<b>555.0</b>
Falls	2,756	132.0
Natural, Environmental	2,096	100.4
MVC	1,716	82.2
Struck By/Caught In	1,053	50.4
Overexertion	933	44.7
Piercing/Cutting	690	33.0
Sports & Recreation	635	30.4
Assault	576	27.6

Rate per 10,000

### Non-Fatal Injuries For Ages 0-17, 65 & Older

0-17 Years			65+ Years		
Cause of Injury	No.	Rate	Cause of Injury	No.	Rate
<b>All Causes</b>	<b>2,896</b>	<b>556.0</b>	<b>All Causes</b>	<b>1,635</b>	<b>729.6</b>
Falls	652	125.2	Falls	845	377.1
Sports and Recreation	431	82.7	Natural, Environmental	476	212.4
Struck By/Caught In	397	76.2	MVC	89	39.7
Natural, Environmental	349	67.0	Struck By/Caught In	48	21.4
MVC	306	58.7	Overexertion	43	19.2

Rate per 10,000